



Developer's Guide

Lightweight UI Toolkit

Sun Microsystems, Inc.
www.sun.com

July 2009

Submit comments about this document to: lwuit@sun.com

Copyright © 2009 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed at <http://www.sun.com/patents> and one or more additional patents or pending patent applications in the U.S. and in other countries.

U.S. Government Rights - Commercial software. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

Use is subject to license terms.

This distribution may include materials developed by third parties.

Sun, Sun Microsystems, the Sun logo, Java, JAR, Java SE, Java ME, NetBeans, java, and the Java Coffee Cup logo are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

The Adobe logo is a registered trademark of Adobe Systems, Incorporated.

Sprint, the "Going Forward" logo, and other trademarks are trademarks of Sprint Nextel.

This product is covered and controlled by U.S. Export Control laws and may be subject to the export or import laws in other countries. Nuclear, missile, chemical biological weapons or nuclear maritime end uses or end users, whether direct or indirect, are strictly prohibited. Export or reexport to countries subject to U.S. embargo or to entities identified on U.S. export exclusion lists, including, but not limited to, the denied persons and specially designated nationals lists is strictly prohibited.

Copyright © 2009 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95054, Etats-Unis. Tous droits réservés.

Sun Microsystems, Inc. détient les droits de propriété intellectuelle relatifs à la technologie incorporée dans le produit qui est décrit dans ce document. En particulier, et ce sans limitation, ces droits de propriété intellectuelle peuvent inclure un ou plus des brevets américains listés à l'adresse <http://www.sun.com/patents> et un ou les brevets supplémentaires ou les applications de brevet en attente aux Etats - Unis et dans les autres pays.

L'utilisation est soumise aux termes de la Licence.

Cette distribution peut comprendre des composants développés par des tierces parties.

Sun, Sun Microsystems, le logo Sun, Java, JAR, Java SE, Java ME, NetBeans, java, et le logo Java Coffee Cup sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays.

Le logo Adobe est une marque déposée de Adobe Systems, Incorporated.

Sprint, the "Going Forward" logo, and other trademarks are trademarks of Sprint Nextel.

Ce produit est soumis à la législation américaine en matière de contrôle des exportations et peut être soumis à la réglementation en vigueur dans d'autres pays dans le domaine des exportations et importations. Les utilisations, ou utilisateurs finaux, pour des armes nucléaires, des missiles, des armes biologiques et chimiques ou du nucléaire maritime, directement ou indirectement, sont strictement interdites. Les exportations ou réexportations vers les pays sous embargo américain, ou vers des entités figurant sur les listes d'exclusion d'exportation américaines, y compris, mais de manière non exhaustive, la liste de personnes qui font objet d'un ordre de ne pas participer, d'une façon directe ou indirecte, aux exportations des produits ou des services qui sont régis par la législation américaine en matière de contrôle des exportations et la liste de ressortissants spécifiquement désignés, sont rigoureusement interdites.

Contents

Preface ix

1. Introducing the Lightweight UI Toolkit Library 1-1

1.1 API Overview 1-1

1.1.1 Scope and Portability 1-2

1.1.2 Events and Threading 1-4

2. Using Lightweight UI Toolkit Widgets 2-1

2.1 Component 2-1

2.2 Container 2-1

2.3 Form 2-2

2.4 Label 2-3

2.5 Button 2-5

2.6 RadioButton 2-6

2.7 ButtonGroup 2-7

2.8 CheckBox 2-8

2.9 ComboBox 2-10

2.10 TextArea 2-12

2.11 TabbedPane 2-13

3. Using Lists 3-1

3.1	Initializing a List	3-1
3.2	Creating a Model	3-2
3.2.1	ListModel	3-2
3.2.2	DefaultListModel	3-2
3.3	List Cell Renderer	3-3
3.3.1	ListCellRenderer	3-3
3.3.2	DefaultListCellRenderer	3-4
3.4	Adding Items to and Removing Items From a List	3-4
3.5	List Events	3-5
3.5.1	Fixed Selection Feature	3-5
3.5.2	Smooth Scrolling	3-6
4.	Using Dialogs	4-1
4.1	Dialog Types	4-1
4.2	Creating a Dialog	4-2
4.2.1	Return Types of Show Methods	4-3
4.2.2	Non-Static Show Methods	4-4
4.2.3	Using the <code>dispose()</code> Method	4-4
4.2.4	Getting the User's Input from a Dialog	4-4
5.	Using Layout Managers	5-1
5.1	BorderLayout	5-1
5.2	BoxLayout	5-3
5.2.1	X_AXIS	5-3
5.2.2	Y_AXIS	5-4
5.3	FlowLayout	5-4
5.4	GridLayout	5-6
5.5	GroupLayout	5-7
6.	Using Painters	6-1

7. Using the Style Object	7-1
7.1 Color	7-1
7.2 Font	7-2
7.3 Transparency	7-2
7.4 Margin and Padding	7-2
7.5 Images	7-3
7.6 Borders	7-4
7.7 Style Listener	7-4
7.8 Painters	7-4
8. Theming	8-1
8.1 Basic Theming	8-1
8.2 Look and Feel	8-4
9. Resources	9-1
9.1 Introduction	9-1
9.2 Resource Elements	9-1
9.2.1 Building a Bundle	9-2
9.2.1.1 Creating a Resource	9-2
9.2.1.2 Loading a Resource	9-2
9.2.2 Image Resources	9-2
9.2.3 Indexed Images	9-3
9.2.4 Fonts	9-4
9.2.4.1 System Font	9-4
9.2.4.2 Dynamic Fonts	9-5
9.2.5 Localization (L10N)	9-6
9.2.6 Themes	9-6
9.3 The LWUIT Designer	9-7
9.3.1 Images and Animations	9-9

9.3.2	Fonts	9–10
9.3.3	Localization	9–11
9.3.4	Themes	9–12
9.3.4.1	Example: Adding a New Theme	9–12
9.3.4.2	Modifying Theme Properties	9–14
9.3.4.3	Data	9–15
9.3.4.4	Customizing the Preview	9–15
9.3.4.5	Known Issues	9–17
10.	Using Transitions and Animations	10–1
10.1	Animation	10–1
10.2	Motion	10–1
10.3	Transition	10–2
10.3.1	Slide Transition	10–2
10.3.2	Fade Transition	10–4
11.	Using 3D	11–1
12.	Logging	12–1
12.1	Writing to a Log	12–1
12.2	Showing the Log	12–2
13.	Authoring Components	13–1
13.1	Introduction	13–1
13.2	Painting	13–2
13.3	Sizing In Layout	13–3
13.4	Event Handling	13–4
13.5	Focus	13–4
13.6	The Painting Pipeline	13–5
13.7	Styling	13–5

- 13.8 Background 13-7
- 13.9 Animating The Component 13-8
- 13.10 The Custom Component 13-10

14. Portability and Performance 14-1

- 14.1 Introduction 14-1
- 14.2 Performance 14-2
 - 14.2.1 Memory 14-2
 - 14.2.1.1 Indexed Images 14-2
 - 14.2.1.2 Light Mode 14-4
 - 14.2.2 Speed 14-4
 - 14.2.2.1 Event Dispatch Thread (EDT) 14-4
 - 14.2.2.2 LWUIT Performance 14-5
- 14.3 Device Bugs And Limitations 14-5
 - 14.3.1 Bugs 14-5
 - 14.3.2 Limitations 14-6
- 14.4 Resolution Independence 14-7
- 14.5 Input 14-8
 - 14.5.1 Soft Buttons 14-8
 - 14.5.2 Back Button 14-8
 - 14.5.3 Touch Screen Devices 14-8
- 14.6 Specific Device Issues 14-9
 - 14.6.1 Motorola 14-9
 - 14.6.2 BlackBerry 14-9
 - 14.6.3 Nokia S40 14-10
 - 14.6.4 Sony Ericsson 14-10
 - 14.6.5 General Portability Tip 14-10

A. LWUIT Mini FAQ A-1

Index Index-1

Preface

This document describes how to work with the Lightweight User Interface toolkit.

Before You Read This Document

This guide is intended for developers creating Mobile Information Device Profile (MIDP) applications. This book is a tutorial in Lightweight UI Toolkit programming over MIDP. You should already have basic knowledge about Java™ UI libraries (for example, AWT and SWING) and understand how to use the Mobile Information Device Profile (MIDP) and the Connected Limited Device Configuration (CLDC).

For current discussion of LWUIT issues, see these online resources:

- LWUIT home page: <https://lwuit.dev.java.net/>
- LWUIT community discussion forum:
<http://forums.java.net.jive/form.jspa?forumID=139>
- LWUIT Blog: <http://lwuit.blogspot.com/>

If you need help getting started with the Java programming language, try the New to Java Center:

<http://java.sun.com/learning/new2java/>

For a quick start with MIDP programming, read *Learning Path: Getting Started with MIDP 2.0*:

<http://developers.sun.com/techttopics/mobility/learn/midp/midp20/>

The following sites provide technical documentation related to Java technology:

<http://developers.sun.com/>

How This Document Is Organized

This guide contains the following chapters and appendices:

[Chapter 1](#) introduces the Lightweight UI Toolkit library.

[Chapter 2](#) describes how to use Lightweight UI Toolkit widgets.

[Chapter 3](#) explains how to use Lists.

[Chapter 4](#) describes how to use Dialogs.

[Chapter 5](#) shows how you can use Layouts.

[Chapter 6](#) describes how to use Images.

[Chapter 7](#) details how to use Fonts.

[Chapter 6](#) explains how to use Painters.

[Chapter 7](#) explains how to use Style.

[Chapter 8](#) describes Themes.

[Chapter 9](#) describes the LWUIT Designer.

[Chapter 10](#) describes how to use Transitions and Animations.

[Chapter 11](#) covers the 3D integration.

[Chapter 12](#) details how to use logging.

[Chapter 13](#) describes how to author a new component from scratch.

[Chapter 14](#) discusses general and device-specific portability issues.

[Appendix A](#) addresses frequently asked questions about LWUIT.

Shell Prompts

Shell	Prompt
C shell	<i>machine-name%</i>
C shell superuser	<i>machine-name#</i>
Bourne shell and Korn shell	\$
Bourne shell and Korn shell superuser	#

Typographic Conventions

Typeface	Meaning	Examples
AaBbCc123	The names of commands, files, and directories; on-screen computer output	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. % You have mail.
AaBbCc123	What you type, when contrasted with on-screen computer output	% su Password:
<i>AaBbCc123</i>	Book titles, new words or terms, words to be emphasized. Replace command-line variables with real names or values.	Read Chapter 6 in the <i>User's Guide</i> . These are called <i>class</i> options. You <i>must</i> be superuser to do this. To delete a file, type <code>rm filename</code> .

Note – Characters display differently depending on browser settings. If characters do not display correctly, change the character encoding in your browser to Unicode UTF-8.

Related Documentation

TABLE P-1 lists documentation related to this product.

TABLE P-1 Recommended Documentation

Topic	Title and URL
JSR 118, MIDP 2.0	<i>Mobile Information Device Profile</i> http://jcp.org/en/jsr/detail?id=118
JSR 139, CLDC 1.1	<i>Connected Limited Device Configuration</i> http://jcp.org/en/jsr/detail?id=139
JSR 184, 3D Graphics	<i>Mobile 3D Graphics API for J2ME</i> http://jcp.org/en/jsr/detail?id=184
AWT documentation	http://java.sun.com/javase/6/docs/technotes/guides/awt/index.html
Swing documentation	http://java.sun.com/javase/6/docs/technotes/guides/swing/index.html http://java.sun.com/docs/books/tutorial/uiswing/

Sun Welcomes Your Comments

Sun is interested in improving our documentation and welcomes your comments and suggestions. Email your feedback to:

lwuit@sun.com

Introducing the Lightweight UI Toolkit Library

This book describes how to use the Lightweight UI Toolkit (LWUIT) library. The Lightweight UI Toolkit library helps you create appealing graphical user interface (GUI) applications for mobile phones and other devices that support MIDP 2.0. Lightweight UI Toolkit supports visual components and other user interface (UI) ingredients such as theming, transitions, animation and more.

After covering the basics of the Lightweight UI Toolkit, this book provides a walk through of the various widgets and uses of the LWUIT packages.


1.1 API Overview

The Lightweight UI Toolkit is a lightweight widget library inspired by Swing but designed for constrained devices such as mobile phones and set-top boxes. Lightweight UI Toolkit supports pluggable theme-ability, a component and container hierarchy, and abstraction of the underlying GUI toolkit. The term lightweight indicates that the widgets in the library draw their state in Java source without native peer rendering.

Internal interfaces and abstract classes provide abstraction of interfaces and APIs in the underlying profile. This allows portability and a migration path for both current and future devices and profiles. For example, Graphics would be an abstraction of the graphics object in the underlying profile.

The Lightweight UI Toolkit library tries to avoid the "lowest common denominator" mentality by implementing some features missing in the low-end platforms and taking better advantage of high-end platforms. [FIGURE 1-1](#) shows the widget class hierarchy.

FIGURE 1-1 Simplified Widget Class Hierarchy



1.1.1 Scope and Portability

The Lightweight UI Toolkit library is strictly a widget UI library and does not try to abstract the underlying system services such as networking or storage. It also doesn't try to solve other UI issues related to native graphics, etcetera.

To enable portability, the Lightweight UI Toolkit library implements its own thin layer on top of the native system canvas and provides a widget abstraction. This abstraction is achieved using several key classes that hide the system specific equivalents to said classes, such as `Graphics`, `Image` and `Font`.

When working with the Lightweight UI Toolkit library it is critical to use the abstract classes for everything. To avoid corruption, there is no way to access the "real" underlying instances of these classes (for example, `javax.microedition.lwuit.Graphics`).

LWUIT strives to enable great functionality on small devices that might be incapable of anti-aliasing at runtime, or might choke under the weight of many images. To solve these problems the LWUIT library ships with an optional resource file format that improves resource utilization. For more details, see [Chapter 9, "Resources."](#)

EXAMPLE 1-1 Hello World Example for MIDP

This is a simple hello world example written on top of MIDP. All UI code making use of the Lightweight UI Toolkit is compatible to other platforms such as CDC.¹

However, this example is specifically for MIDP. For MIDP the application management system (AMS) requires a MIDlet class to exist, where in a CDC environment an Xlet would be expected (and in Java™ SE you would expect a main class, and so forth).

```
import com.sun.lwuit.Display;
import com.sun.lwuit.Form;
import com.sun.lwuit.Label;
import com.sun.lwuit.layouts.BorderLayout;
import com.sun.lwuit.plaf.UIManager;
import com.sun.lwuit.util.Resources;

public class HelloMidlet extends javax.microedition.midlet.MIDlet {

    public void startApp() {
        //init the LWUIT Display
        Display.init(this);

        // Setting the application theme is discussed
        // later in the theme chapter and the resources chapter
        try {
            Resources r = Resources.open("/myresources.res");
            UIManager.getInstance().setThemeProps(r.getTheme(
                r.getThemeResourceNames()[0])
            );
        } catch (java.io.IOException e) {
        }
        Form f = new Form();
        f.setTitle("Hello World");
        f.setLayout(new BorderLayout());
        f.addComponent("Center", new Label("I am a Label"));
        f.show();
    }


    public void pauseApp() {
    }

    public void destroyApp(boolean unconditional) {
    }
}
```

Hello world looks like [FIGURE 1-2](#).

1. As of this writing the CDC version of LWUIT required for this compatibility hasn't been released to the public.

FIGURE 1-2 Hello World



Notice in [EXAMPLE 1-1](#) that the very first line of code for any application using the Lightweight UI Toolkit library must register the main class with the display. This behavior is tool-specific. In MIDP there is not much you can do without a reference to the parent MIDlet, so this operation must be performed in the beginning of the application.

The creation of the UI code is left within the MIDlet for simplicity but it could be separated to any class to allow full portability in any future platform to which the Lightweight UI Toolkit library would be ported.

1.1.2 Events and Threading

For increased compatibility, the Lightweight UI Toolkit library completely handles and encapsulates UI threading. It has a single main thread referred to as the "EDT" (inspired by the Event Dispatch Thread in Swing and AWT). All events and paint calls are dispatched using this thread. This guarantees that event and paint calls are serialized and do not risk causing a threading issue. It also enables portability for profiles that might have minor threading model inconsistencies. See the `Display` class (`com.sun.lwuit.Display` in the API documentation) for further details about integrating with the EDT and serializing calls on it.

Using Lightweight UI Toolkit Widgets

This chapter introduces the LWUIT widgets and provides sample code for several components.

2.1 Component

A *Component* is an object having a graphical representation that can be displayed on the screen and can interact with the user. The buttons, check boxes, and radio buttons in a typical graphical UI are all examples of a component. Component is the base class. All the widgets in the Lightweight UI Toolkit library use the composite pattern in a manner similar to the AWT Container and Component relationship.

2.2 Container

A *Container* is a composite pattern with a Component object. It enables nesting and arranging multiple components using a pluggable layout manager architecture. Containers can be nested one within the other to form elaborate UIs. Components added to a container are tracked in a list. The order of the list defines the components' front-to-back stacking order within the container. If you do not specify an index when you add a component to a container, it is added to the end of the list (and hence to the bottom of the stacking order).

2.3 Form

Form is a top-level component that serves as the root for the UI library. This Container handles the title and menus and allows content to be placed between them. By default the form's central content (the content pane) is scrollable. *Form* contains Title bar, MenuBar and a ContentPane. Invocations of *Form*'s `addComponent` method are delegated to the content pane's `addComponent`. The same applies to most composite related methods (e.g. `setLayout`, `getComponent` and so forth).

EXAMPLE 2-1 Create and Set Up a Form

The following code demonstrates creation and setup of a form.

```
// 1. Create a Form
Form mainForm = new Form("Form Title");

// 2. Set LayoutManager
mainForm.setLayout(new BorderLayout());

// 3. Add a Label to the center of Form content pane
mainForm.addComponent(BorderLayout.CENTER, new Label("Hello
World"));

// 4. Set Transitions animation of Fade
mainForm.setTransitionOutAnimator(CommonTransitions.createFade(400));

// 5. Add Command key
mainForm.addCommand(new Command("Run", 2));


// 6. Show it
mainForm.show();
```

The following notes correspond to the comments in the code in [EXAMPLE 2-1](#).

1. The first line of code creates a form using a constructor that lets you set the form title. The other frequently used form constructor is the no-argument constructor.
2. Next the code specifies the layout manager of the form. Layout managers are discussed later in this guide.
3. The next bit of code adds a label to the form content pane. Adding components to a *Form* (which is a *Container*) is done with `addComponent(Component cmp)` or `addComponent(Object constraints, Component cmp)`, where `constraints` are the locations in the layout manager, *BorderLayout*.

4. A Transition is the movement effect action that occurs when switching between forms. See the Transitions and Animation chapter.
5. Form has menus to emulate the device soft keys, for example. To set such a menu bar item, command, use the `addCommand(Command cmd)` method. The Commands are placed in the order they are added. If the Form has one Command it is placed on the right. If the Form has two Commands the first one added is placed on the left and the second one is placed on the right. If the Form has more than two Commands the first one stays on the left and a Menu is added with all the remaining Commands.
6. The `show` method displays the current form on the screen.

FIGURE 2-1 Form Elements



2.4 Label

The Label widget can display a single line of text and/or an image and align them using multiple options. If you need to create a component that displays a string, an image, or both, you should use or extend Label. If the component is interactive and has a specific state, a Button is the most suitable widget (instead of a label).

To create a Label, use one of the following calls:

```
Label textLabel = new Label("I am a Label"); // for a text label
```

or

```
// create an image for an icon label  
Image icon = Image.createImage("/images/duke.png");  
Label imageLabel = new Label(icon);
```

Labels can be aligned to one of the following directions: CENTER, LEFT, RIGHT. LEFT is the default. In addition the text can be aligned relative to the image position. Valid values are TOP, BOTTOM, LEFT, RIGHT, where the default is RIGHT. To update the text position use:

```
setTextPosition(int alignment);
```

[FIGURE 2-2](#) displays three types of labels with text to icon alignment position of RIGHT. The container is divided into three rows, and the label in each row is as wide as possible. [FIGURE 2-3](#) shows relative alignment, with the label below the icon.

FIGURE 2-2 Label With Text, Label With Icon, and Label with Text and Icon





FIGURE 2-3 Text to Icon Alignment Position of BOTTOM



2.5 Button


The Button component enables the GUI developer to receive action events when the user focuses on the component and clicks. In some devices a button might be more practical and usable than a command option. Button is the base class for several UI widgets that accept click actions. It has three states: rollover, pressed, and the default state. It can also have ActionListeners that react when the Button is clicked.

To get the user clicking event, you must implement an ActionListener, which is notified each time the user clicks the button. The following code snippet creates an action listener and changes the text on the button, every time the user clicks it.

```
final Button button = new Button("Old Text");
button.addActionListener(new ActionListener() {
    public void actionPerformed(ActionEvent evt) {
        button.setText("New Text");
    }
});
```

Button extends Label, so you can create three type of buttons: text only, image only or image and text button.

FIGURE 2-4 Button With Text, Button With Icon, and Button with Text and Icon



2.6 RadioButton

`RadioButton` is a `Button` that maintains a selection state exclusively within a specific `ButtonGroup`. Because `RadioButton` inherits from `Button`, radio buttons have all the usual button characteristics, as discussed in [Section 2.5, “Button” on page 2-5](#). For example, you can specify the image displayed in a radio button. Each time the user clicks a radio button (even if it was already selected), the button fires an action event, just as in `Button`.

To create a `RadioButton` use:

```
RadioButton radioButton = new RadioButton("Radio Button");
```

[FIGURE 2-5](#) shows the `RadioButton` this code produces.

FIGURE 2-5 Sample Radio Button



2.7 ButtonGroup

The `ButtonGroup` component manages the selected and unselected states for a set of `RadioButtons`. For the group, the `ButtonGroup` instance guarantees that only one button can be selected at a time.

Initially, all `RadioButtons` in a `ButtonGroup` are unselected. Each `ButtonGroup` maintains the selected index, and can get a specific `RadioButton` by calling `getRadioButton(int index)`.

The following code snippet creates a button group made of two `RadioButtons`.

```
Label radioButtonLabel = new Label("RadioButton:");
....
RadioButton rb1 = new RadioButton("First RadioButton in Group 1");
RadioButton rb2 = new RadioButton("Second RadioButton in Group 1");

ButtonGroup group1 = new ButtonGroup();
group1.add(rb1);
group1.add(rb2);
```

```
exampleContainer.addComponent(radioButtonLabel);  
exampleContainer.addComponent(rb1);  
exampleContainer.addComponent(rb2);
```

The code snippet result is shown in [FIGURE 2-6](#).

FIGURE 2-6 RadioButton Group



2.8 CheckBox

Check boxes are similar to RadioButtons but their selection model is different, because they can flip the selection state between selected and unselected modes. A group of radio buttons, on the other hand, can have only one button selected. Because CheckBox inherits from Button, check boxes have all the usual button characteristics, as discussed in [Section 2.5, “Button” on page 2-5](#). For example, you can specify the image displayed in a check box. Each time the user selects a check box (even if it was already selected), it fires an action event, just as in Button.

To create a CheckBox use:

```
final CheckBox checkBox = new CheckBox("Check Box");
```

This code produces the CheckBox shown in [FIGURE 2-7](#).

To catch select and unselect events you can try this:

```
checkBox.addActionListener(new ActionListener() {  
    public void actionPerformed(ActionEvent evt) {  
        if(checkBox.isSelected()) {  
            System.out.println("CheckBox got selected");  
        } else {  
            System.out.println("CheckBox got unselected");  
        }  
    }  
});
```

FIGURE 2-7 CheckBox Sample



2.9 ComboBox

A combo box is a list that allows only one selection at a time. When a user clicks the combo box button, a drop-down list of elements allows the user to select a single element. The combo box is driven by the list model and allows all the renderer features of the List as well.

Other components that can display one-of-many choices are groups of radio buttons, check boxes, buttons, and lists. Groups of radio buttons are generally the easiest for users to understand, but combo boxes can be more appropriate when space is limited or more than a few choices are available. Lists are not always attractive, but they are more appropriate than combo boxes when the number of items is large (say, over five).

The following code creates a combo box (a list model that is built from check boxes) and sets it up:

```
String[] content = { "Red", "Blue", "Green", "Yellow" };

// 1. Creating the combo box
ComboBox comboBox = new ComboBox(content);

// 2. Setting a checkBox renderer
comboBox.setListCellRenderer(new checkBoxRenderer());

// 3. Adding a action listener to catch user clicking
//      to open the ComboBox
comboBox.addActionListener(myActionListener.....);
```

The following notes correspond to the comments in the code above.

1. This combo box code contains an array of strings, but you could just as easily use labels instead.
2. To put anything else into a combo box or to customize how the items in a combo box look, you need to write a custom renderer.
3. The next line of code (which calls `setListCellRender`) registers an action listener on the combo box.

The following is a sample of renderer code:

```
/**
 * Demonstrates implementation of a renderer derived from a CheckBox
 */
private static class checkBoxRenderer extends CheckBox implements
ListCellRenderer {


    /** Creates a new instance of checkBoxRenderer */
    public checkBoxRenderer() {
        super("");
    }

    // Setting the current check box text and status
    public Component getListCellRendererComponent(List list,
        Object value, int index, boolean isSelected) {
        setText("" + value);
        if (isSelected) {
            setFocus(true);
            setSelected(true);
        } else {
            setFocus(false);
            setSelected(false);
        }
        return this;
    }

    // Returning the list focus component
    // (discussed in Chapter 3)
    public Component getListFocusComponent(List list) {
        setText("");
        setFocus(true);
        setSelected(true);
        return this;
    }
}
```

The sample code produces the combo box in [FIGURE 2-5](#).

FIGURE 2-8 Combo Box



2.10 TextArea

The text area represents text that might be editable using the system native editor (might occur in a new screen). The native editor is used to enable complex input methods (such as T9) and application internationalization. The following code creates and initializes the text area:

```
TextArea textArea = new TextArea(5, 20, TextArea.NUMERIC);
textArea.setEditable(false);
```

The first two arguments to the `TextArea` constructor are hints as to the number of rows and columns, respectively, that the text area should display. The third one is a constraint that is passed into the native text editor. Valid values can be one of `ANY`, `EMAILADDR`, `NUMERIC`, `PHONENUMBER`, `URL`, or `DECIMAL`. In addition it can be bitwise OR'd with one of `PASSWORD`, `UNEDITABLE`, `SENSITIVE`, `NON_PREDICTIVE`, `INITIAL_CAPS_SENTENCE`, `INITIAL_CAPS_WORD`. For example, `ANY | PASSWORD`. The default value is `ANY`. In the above example `NUMERIC` only allows the user to type numbers.

Text areas are editable by default. The code `setEditable(false)` makes the text area uneditable. It is still selectable, but the user cannot change the text area's contents directly.

The 5 x 20 text area is shown in [FIGURE 2-9](#).

FIGURE 2-9 Form With Text Area



2.11 TabbedPane

A tabbed Pane is a container that lets the user switch between a group of components that all share the same space by focusing on a tab with a title, an icon, or both. The user chooses which component to view by selecting the tab corresponding to the desired component.

To create a tabbed pane, instantiate `TabbedPane`, create the components you wish it to display, and then add the components to the tabbed pane using the `addTab` or `insertTab` methods. `TabbedPane` has the ability to remove tabs as well, by calling `removeTabAt(int index)` at a given position index. A tab is represented by an index corresponding to the position it was added in, where the first tab has an index equal to 0 and the last tab has an index equal to the tab count minus 1.


If the tab count is greater than 0, then there is always a selected index, which by default is initialized to the first tab. If the tab count is 0, then the selected index is -1.

TabbedPane has four different tab placement orientations. The default tab placement is set to the TOP location. You can change the tab placement to LEFT, RIGHT, TOP or BOTTOM using the `setTabPlacement` method.

The following code creates a TabbedPane with tab placement of bottom, and places a Label in the center of the first (and only) tab.

```
TabbedPane tabbedPane = new TabbedPane(TabbedPane.TOP);
tabbedPane.addTab("Tab 1", new Label("I am a TabbedPane!"));
tabbedPane.addTab("Tab 2", new Label("Tab number 2"));
....
```

FIGURE 2-10 Tabbed Pane



Using Lists

Because screen size is limited, lists are the most common basic UI widget on devices. A List presents the user with a group of items displayed in a single column. The set of elements is rendered using a ListCellRenderer and are extracted using the ListModel. Swing's Model/View/Controller architecture (MVC) makes it possible for a list to represent many UI concepts ranging from a carousel to a To-Do checklist. A list component is relatively simple. It invokes the model in order to extract the displayed or selected information and invokes the cell renderer to show it to the user. The list class itself is completely decoupled from everything, so you can extract its content from any source (for example, the network, storage etcetera) and display the information in any form (for example, Checkboxes, Strings, Icons, and so forth).

3.1 Initializing a List

You can create a list in one of four ways:

<code>List()</code>	Creates a new instance of List with an empty default model.
<code>List(ListModel model)</code>	Creates a new instance of List with the given model.
<code>List(Object[] items)</code>	Creates a new instance of List with an array of Objects that are placed into the list model.
<code>List(Vector items)</code>	Creates a new instance of List where a set of items are placed into the list model.

3.2 Creating a Model

There are two ways to create a list model:

<code>ListModel</code>	Implement the list model interface (use a general purpose implementation of the list model interface derived from the <code>DefaultListModel</code>)
<code>DefaultListModel</code>	Everything is taken care of for you.

3.2.1 ListModel

Represents the data structure of the list, thus allowing a list to represent any potential data source by referencing different implementations of this interface. For example, a list model can be implemented in such a way that it retrieves data directly from storage (although caching is recommended). It is the responsibility of the list to notify observers (specifically the view `List` of any changes to its state (items removed, added, or changed, and so forth) thus the data is updated on the view.

3.2.2 DefaultListModel

The following code demonstrates using the `DefaultListModel` class with a vector of elements.

```
// Create a set of items
String[] items = { "Red", "Blue", "Green", "Yellow" };

// Initialize a default list model with "item" inside
DefaultListModel myListModel = new DefaultListModel(items);

// Creating a List with "myListModel"
```

3.3 List Cell Renderer

A list uses an object called a cell renderer to display each of its items. The default cell renderer knows how to display strings and icons and it displays Objects by invoking toString. If you want to change the way the default renderer display icons or strings, or if you want behavior different than what is provided by toString, you can implement a custom cell renderer. There are two ways to create a list renderer:

- [ListCellRenderer](#)
- [DefaultListCellRenderer](#)

3.3.1 ListCellRenderer

ListCellRenderer is a "rubber stamp" tool that allows you to extract a renderer instance (often the same component instance for all invocations) that is initialized to the value of the current item. The renderer instance is used to paint the list and is discarded when the list is complete.

An instance of a renderer can be developed as follows:

```
public class MyYesNoRenderer extends Label implements
ListCellRenderer {
    public Component getListCellRendererComponent(List list,
                                                    Object value, int index, boolean isSelected) {
        if( ((Boolean)value).booleanValue() ) {
            setText("Yes");
        } else {
            setText("No");
        }
        return this;
    }

    public Component getListFocusComponent(List list) {
        Label label = new Label("");
        label.getStyle().setBgTransparency(100);

        return label;
    }
}
```

It is best that the component whose values are manipulated does not support features such as `repaint()`. This is accomplished by overriding `repaint` in the subclass with an empty implementation. This is advised for performance reasons, otherwise every change made to the component might trigger a repaint that wouldn't do anything but still cost in terms of processing.

3.3.2 DefaultListCellRenderer

The `DefaultListCellRender` is the default implementation of the renderer based on a `Label` and the `ListCellRenderer` interface.

`getListCellRendererComponent()` Returns a component instance that is already set to render "value". While it is not a requirement, many renderers often derive from a component (such as a `label`) and return "this".

`getListFocusComponent()` Returns a component instance that paints the list focus item. When the selection moves, this component is drawn above the list items. It's best to give some level of transparency (see code example in [Section 3.3.1, "ListCellRenderer" on page 3-3](#)). Once the focused item reaches the cell location then this Component is drawn under the selected item.

Note - To emulate this animation, call `List.setSmoothScrolling(true)`. This method is optional an implementation can choose to return null

3.4 Adding Items to and Removing Items From a List

You can add items to a list in one of two ways. The first way is to create a `ListModel` and add it to the list, either when initiating a `List` or using the method `setModel(ListModel model)`. To remove an item or all items from a `List`, use `removeItem(int index)` or `removeAll()` methods.

For example:

```
// Adding to a list either by the above DefaultListModel
// snipped code or
....
myListModel.addItem("New Item");
```

```
// Removing is done by
....
myListModel.removeItem(index);
// or
myListModel.removeAll();
```

3.5 List Events

Two types of events are supported here, `ActionEvent` and `SelectionListener` in addition to `addFocusListener(FocusListener l)` that is inherited from `Component`. `ActionEvent` binds a listener to the user selection action, and the `SelectionListener` is bound to the List model selection listener. The listener bindings mean you can track changes in values inside the `Model`.

3.5.1 Fixed Selection Feature

The fixed selection feature supports a dynamic versus static item movement in a List. In a Java SE environment the list items are typically static and the selection indicator travels up and down the list, highlighting the currently selected item. The Lightweight UI Toolkit introduces a new animation feature that lets the selection be static while the items move dynamically up and down. To indicate the fixed selection type, use `setFixedSelection(int fixedSelection)` where `fixedSelection` can be one of the following:

<code>FIXED_NONE</code>	Behave as the normal (Java SE) List behaves. List items are static and the selection indicator travels up and down the list, highlighting the currently selected item.
<code>FIXED_TRAIL</code>	The last visible item in the list is static and list items move up and down.
<code>FIXED_LEAD</code>	The first item in the list is static and list items move up and down.
<code>FIXED_CENTER</code>	The middle item in the list is static and list items are move up and down.

3.5.2 Smooth Scrolling

To achieve smooth scrolling while navigating in a list, call `setSmoothScrolling(true)` to get the movement to work as an animation. The default value is `false`.

FIGURE 3-1 Four Item List



Using Dialogs

A Dialog is a form that occupies a part of the screen as a top component. By default dialogs always appear as a modal entity to the user. Modality indicates that a dialog blocks the calling thread even if the calling thread is the *Event Dispatcher Thread* (EDT). Dialogs allow us to prompt users for information and rely on the information being returned as a response after the dialog `show` method. Each Dialog has a body that is located in the center of the dialog. The Body can contain a component, so you can use your own custom component or pre-built container.

Note – A dialog does not release the block until a `dispose` method is called. For example, calling `show()` from another form does not release the block.

4.1 Dialog Types

For better user experience, dialogs have five types of alerts. The alert type indicates a sound to play or an icon to display if none is explicitly set:

- ALARM
- CONFIRMATION
- ERROR
- INFO
- WARNING

By default the alerts are set to play the device alert sounds.

Icons are not currently provided by default, but you can manually add them to customized dialogs. Icons can be used to indicate the alert state, similar to JDialog icons in Swing. See <http://java.sun.com/docs/books/tutorial/uiswing/components/dialog.html>.

4.2 Creating a Dialog

To create and show a dialog you can do the following:

- Create and show the dialog using one of the static show methods.
- Use `new Dialog()` and invoke its `show()` method. The static methods are only helpers.

The arguments to all of the show methods are standardized, though the number of arguments for each method varies. The static show methods provide support for laying out standard dialogs, providing icons, specifying the dialog title and text, and customizing the button text.

The following list describes each argument. To see the exact list of arguments for a particular method, see the Dialog API in the API documentation located in `install-dir/docs/api/lwuit`.

String title

The title of the dialog

Component body

Component placed in the center of the dialog. This component can be a container that contains other components.

String text

The text displayed in the dialog which can be used instead of Body.

Command[] cmds

Array of commands that are added to the dialog. Any click on any command disposes of the dialog. Examples of commands are OK and Cancel.

int type

The type of the alert can be one of `TYPE_WARNING`, `TYPE_INFO`, `TYPE_ERROR`, `TYPE_CONFIRMATION` or `TYPE_ALARM` to indicate the sound to play or an icon to display.

Image icon

The icon to display in the dialog.

long *timeout*

A timeout in milliseconds, after which the dialog closes and null is returned. If time-out value is 0, the dialog remains open indefinitely, until its dispose method is invoked.

Transition *transition*

The transition installed when the dialog enters and leaves the screen. For more information see [Section 10.3, “Transition” on page 10-2](#).

String *okText*

The text to appear in the command dismissing the dialog.

String *cancelText*

Optionally null for a text to appear in the cancel command for canceling the dialog.

int *top*

Inset in pixels between the top of the screen and the form.

int *bottom*

Inset in pixels between the bottom of the screen and the form.

int *left*

Inset in pixels between the left of the screen and the form.

int *right*

Inset in pixels between the right of the screen and the form.

boolean *includeTitle*

Whether the title should hang in the top of the screen or be glued onto the dialog content pane.

4.2.1 Return Types of Show Methods

You can use one of three convenient return value show methods: void, Command, or boolean.

- Command returns the command object the user clicked. See the Command API in the API documentation found in *install-dir/docs/api/lwuit*.
- The boolean value of true is returned when the OK command is pressed or if `cancelText` is null (meaning there is no cancel command text visible). It is false otherwise.

4.2.2 Non-Static Show Methods

The dialog API provides two non-static methods to create two more types of dialogs.

The first method takes no arguments and produces a dialog without any commands. The only way to close such a dialog is to invoke the `dispose()` method on the dialog. Since the dialog is blocking, meaning once the dialog is displayed its calling thread can not proceed until it is closed, the call to `dispose` must be made from a different thread. To do this, schedule the call to `dispose` with a timer thread. Note that the timer thread must be started before the dialog is displayed. This approach is referred to as an auto-closing dialog.

The second dialog type has five parameters. The first four are the four wing insets (top, bottom, left, and right) and the fifth parameter determines whether to include the Dialog title assigned through the dialog constructor (see [FIGURE 4-1](#), Dialog with Insets).

```
// Call show with inset parameters
dialog.show(90, 90, 10, 10, true);
```


4.2.3 Using the `dispose()` Method

The `dispose` methods closes the current dialog and returns to the parent form. When `show()` is used without arguments, one way to close the dialog is to set a timer to call `dispose` just before calling the `show` method (otherwise the `dispose` method is never performed).

4.2.4 Getting the User's Input from a Dialog

As mentioned in [Section 4.2.2, “Non-Static Show Methods” on page 4-4](#), return value types can be either `Command` or a boolean value. For example, if a user has a dialog with two commands, `Approve` and `Decline`, the user clicks and the selected command is returned. For the boolean return type, a `true` or `false` value indicates whether the user clicked the OK command.

FIGURE 4-1 Typical Dialogs



Using Layout Managers

This chapter shows you how to use the layout managers provided by the Lightweight UI Toolkit library. It also gives an example of writing a custom layout manager. For each layout manager, this chapter supplies sample code demonstrating how to use the layout manager and a general illustration.

In Lightweight UI Toolkit you can find the following layout managers:

- BorderLayout
- BoxLayout
- FlowLayout
- GridLayout
- GroupLayout

5.1 BorderLayout

A BorderLayout object has five areas. These areas are specified by the BorderLayout constants:

- Center
- East
- North
- South
- West

When adding a component to a container, specify the component's location (for example, `BorderLayout.CENTER`) as one of the arguments to the `addComponent` method. If this component is missing from a container, controlled by a `BorderLayout` object, make sure that the component's location was specified and that no other component was placed in the same location.

```
addComponent(BorderLayout.CENTER, component) // preferred
```

or

```
addComponent("Center", component) // valid but error prone
```

The center area gets as much of the available space as possible. The other areas expand only as much as necessary to fit the components that have been added to it. Often a container uses only one or two of the areas of the `BorderLayout` object — just the center, or the center and the bottom.

FIGURE 5-1 BorderLayout Locations



5.2 BorderLayout

The `BoxLayout` class puts components either on top of each other or in a row — your choice.


5.2.1 X_AXIS

To lay out components in a row, use `BoxLayout.X_AXIS` as the axis indication.

```
BoxLayout boxLayout = new BoxLayout(BoxLayout.X_AXIS);
```

In this layout, the box layout manager honors the component width of each layout component to fill the width of the container, and the height is determined by the container height. Any extra space appears at the right side of the container, as shown in [FIGURE 5-1](#).

FIGURE 5-2 `BoxLayout.X_AXIS` Components in a Row



5.2.2 Y_AXIS

To lay out components in a column, use `BoxLayout.Y_AXIS` as the axis indication.

```
BoxLayout boxLayout = new BoxLayout(BoxLayout.Y_AXIS);
```

In this layout, the box layout manager honors the component height of each layout component to fill the height of the container, and the width is determined by the container width. Any extra space appears at the bottom of the container, as shown in [FIGURE 5-3](#).

FIGURE 5-3 `BoxLayout.Y_AXIS` Components in a Row



5.3 FlowLayout

The `FlowLayout` class provides a very simple layout manager that is the default layout manager for `Container` objects.

The `FlowLayout` class puts components in a row, sized at their preferred size. If the horizontal space in the container is too small to put all the components in one row, the `FlowLayout` class uses multiple rows. To align the row to the left, right, or center, use a `FlowLayout` constructor that takes an alignment argument.

The code snippet below creates a `FlowLayout` object and the components it manages.

```
FlowLayout exampleLayout = new FlowLayout();

...

container.setLayout(exampleLayout);

container.addComponent(new Button("Button 1"));
container.addComponent(new Button("Button 2"));
```



```
container.addComponent(new Button("Button 3"));  
container.addComponent(new Button("Button 4"));
```

FIGURE 5-4 FlowLayout Default Alignment



When constructing a `FlowLayout` manager you can select either the Left, Right, or Center option to set up the component's orientation. The default alignment is Left. The following code snippet applies the Right component orientation to the above `exampleLayout`.

```
FlowLayout exampleLayout = new FlowLayout(Component.RIGHT);
```

FIGURE 5-5 FlowLayout With Right Alignment



5.4 GridLayout

A `GridLayout` object places components in a grid of cells. Each component takes all the available space within its cell, and each cell is exactly the same size.

The code snippet below creates the `GridLayout` object and the components it manages.

```
GridLayout exampleLayout = new GridLayout(0,2);

...
container.setLayout(exampleLayout);

container.addComponent(new Button("Button 1"));
container.addComponent(new Button("Button 2"));
container.addComponent(new Button("Button 3"));
container.addComponent(new Button("Button 4"));
```

In this example the constructor of the `GridLayout` class creates an instance that has two columns and as many rows as necessary.

FIGURE 5-6 GridLayout With Two Columns



5.5 GroupLayout

GroupLayout is a layout manager that was developed for GUI builders such as Matisse, the Java SE GUI builder delivered with the NetBeans IDE. Although the layout manager was originally designed to suit GUI builder needs, it also works well for manual coding. To get more information you can refer to the GroupLayout API (<http://java.sun.com/javase/6/docs/api/javax/swing/GroupLayout.html>) or review the Swing GroupLayout tutorial at: <http://java.sun.com/docs/books/tutorial/uiswing/layout/group.html>

Using Painters

Painter is an interface that can be used to draw on a component background. The Painter draws itself and then the component draws itself on top within the restrictions of the component bounds. One of the biggest advantages of using a painter is that you can write arbitrary code to draw the component background. An example of such code might be a gradient background for a component, or tiling (using an image to tile the component background). Using a generic painter allows you to reuse background painters for various components.

Note – To view the painter drawing, a component must have some level of transparency.

To clarify these points, assume you want to make a painter that draws a diagonal line in the background of a component. This kind of painting is vectoring since you are specifying the absolute coordinates and dimensions of a component. You can reuse the painter for other component's.

The Painter code might look like the following example:

```
Painter diagonalPainter = new Painter() {  
  
    public void paint(Graphics g, Rectangle rect) {  
        g.drawLine(rect.getX(),  
                    rect.getY(),  
                    rect.getX() + rect.getSize().getWidth(),  
                    rect.getY() + rect.getSize().getHeight());  
    }  
};
```

To use the diagonalPainter you created, use it as the component background painter:

```
myComponent.getStyle().setBgPainter(diagonalPainter);
```

Let's create a Label, Button and a RadioButton and set their background painter with the above diagonalPainter.

....

```
Label myLabel = new Label(Image.createImage("/images/duke.png"));
myLabel.setAlignment(Component.CENTER);
myLabel.getStyle().setBgTransparency(100);
myLabel.getStyle().setBgPainter(diagonalPainter);
```

....

```
Button myButton = new Button("Image and Text Button");
myButton.setIcon(Image.createImage("/images/duke.png"));
myButton.setAlignment(Component.CENTER);
myButton.getStyle().setBgTransparency(100);
myButton.getStyle().setBgPainter(diagonalPainter);
```


....

```
RadioButton myRadioButton = new RadioButton("RadioButton");
myRadioButton.getStyle().setBgTransparency(100);
myRadioButton.getStyle().setBgPainter(diagonalPainter);
```

....

The three components are shown in [FIGURE 6-1](#).

FIGURE 6-1 Label, Button, and RadioButton With diagonalPainter in Background



As a result, you see a diagonal line that is painted in the components' background (behind the Duke images and text).

Using the Style Object

The Style object sets colors, fonts, transparency, margin, padding, images, and borders to define the style for a given component. Each Component contains a selected Style Object and allows Style modification at runtime using `component.getSelectedStyle()` and `component.getUnselectedStyle()`. The style is also used in Theming ([Chapter 8](#)). When a Theme is changed, the Style objects are updated automatically.

7.1 Color

Each Component has two adjustable colors:

Foreground color	The component foreground color that usually refers to the component text color. For example, for a Button it's the text color.
Background color	The component background color.

The color specification is RGB. There is no alpha channel within the color (the background transparency is separate).

Valid values are integers ranging from 0x000000 to 0xffffffff (black to white respectively) or a decimal number.

7.2 Font

Fonts are set with the Font object (see the Font API in the API documentation located in *install-dir/docs/api/lwuit*. Lightweight UI Toolkit supports both for Bitmap fonts and for system fonts, similar to common MIDP fonts. Fonts are discussed in [Chapter 7](#).


7.3 Transparency

Lightweight UI Toolkit style supports background component transparency, to add flexibility and appeal to the UI. To set a component transparency level, call `setBgTransparency` and specify an integer or a byte. The integer value must range between 0 to 255, where 255 (the default) is opaque.

7.4 Margin and Padding

Margin and Padding are inspired by the CSS Box Model. Each component has a main content area (for example, text or icon) and optional surrounding padding and margin areas. The size of each area is specified by four integers that represent the top, bottom, left and right space (similar to component Insets terminology in SWING). The following diagram shows the placement of the areas in relation to the component content area:

FIGURE 7-1 Padding and Margin Relationships



Padding and margins can be set as follows:

```
// Setting padding with positive values
setPadding(int top, int bottom, int left, int right)

// orientation can be Component.TOP, BOTTOM, LEFT or RIGHT
setPadding(int orientation, int gap)

// Setting margin with positive values
setMargin(int top, int bottom, int left, int right)

// orientation can be Component.TOP, BOTTOM, LEFT or RIGHT
setMargin(int orientation, int gap)
```

7.5 Images

In Style, Images refer to a component background image. By default components do not have a background image, so the `bgImage` parameter is null by default. For more details about images, please refer to [Chapter 6](#).

7.6 Borders

The `Style` object supports defining custom rendering of a border. There are several default built-in border types (see the Javadoc™ of the `Border` class). Borders can either replace the background painter (as is the case with round borders and sometimes with image borders) or they can be rendered after the component itself is rendered. A custom border can be built by deriving the `Border` class and overriding the appropriate methods.

A border is rendered into the padding area of the component so it is important that the component padding is large enough to contain the border drawing.

7.7 Style Listener

The `Style` listener gives you the ability to track changes in a certain component style object. For example you might want to monitor changes in the background color of a component, and react accordingly.

The following code shows how to add a listener and track any style property change to the `Font`.

```
myComponent.getStyle().addStyleListener(new StyleListener() {
    public void styleChanged(String propertyName, Style source) {
        if (propertyName.equals(Style.FONT)) {
            System.out.println("Font of myComponent got changed.");
        }
    }
});
```

7.8 Painters

Painters in `Style` refers to the component's background drawing. The `Painter` draws itself and then the component draws itself on top. For more information please refer to [Chapter 6](#).

To set a painter, use the `setBgPainter` method. For example to set *myPainter* as the component background painter, write:

```
mycomponent.getStyle().setBgPainter(myPainter);
```


Theming

8.1 Basic Theming

The Lightweight UI Toolkit library supports pluggable themes similar to CSS and somewhat simpler than Swing's pluggable Look And Feel. Every LWUIT component has a style associated with it (see [Chapter 7](#)). This style can be manipulated manually and can be customized using a set of definitions for a specific component type. For example, in order to make the backgrounds for all the buttons red you can use the following theme:

```
Button.bgColor=ff0000
```

This theme sets the background in the style object within the button object to red. A theme can be packaged into a resource file (see [Chapter 9](#)) and it can be loaded or switched in runtime. In order to update a theme after switching you must refresh the root component (the Form/Dialog containing our component tree) using the `refreshTheme` method to update all styles.

Note – Manually modified style elements are not updated when switching a theme.

For example, if you have a button whose background is customized to blue, and you load or refresh a theme with a different background color for buttons, the new theme affects all button instances except for the one you have modified manually.

This allows you to determine styles for specific components yet still be able to use themes for the general look of the application without worrying about how they affect your changes.

A theme file is very similar in spirit to CSS, yet it is much simpler and it is structured like a Java properties file. A theme file is comprised of key value pairs. The key acts in a similar way to a CSS selector that indicates the component or attribute affected by the theme value. For example:

- `Button.font` – font for all buttons
- `font` – default application font applied to all components where no default is defined

The key element is comprised of an optional unique identifier ID for the component (the UIID) and a required attribute type. Unlike CSS, themes do not support elements such as hierarchy or more complex selectors.

Component UIIDs correspond to the component class name by convention. For example.: `Button`, `Label`, `CheckBox`, `RadioButton`, `Form`, etcetera.

The supported attributes and their value syntax are illustrated in [TABLE 8-1](#):

TABLE 8-1 Attributes

Attribute	Value
<code>bgAlign</code>	Allows determining the alignment of a background image, only effective for non-scaled background images. Valid values include: <code>BACKGROUND_IMAGE_ALIGN_TOP</code> , <code>BACKGROUND_IMAGE_ALIGN_BOTTOM</code> , <code>BACKGROUND_IMAGE_ALIGN_LEFT</code> , <code>BACKGROUND_IMAGE_ALIGN_RIGHT</code> , <code>BACKGROUND_IMAGE_ALIGN_CENTER</code>
<code>bgGradient</code>	Determines the values for the gradient of the image. Accepts source/destination color as well as X/Y of the center of a radial gradient.
<code>bgColor</code>	Hexadecimal number representing the background color for the component in an unselected widget. For example, blue would be: <code>ff</code>
<code>bgImage</code>	Name of an image from within the resource that should be used as the background for this component. The image referenced must exist within the resource using the same name mentioned here. See the resources chapter for further details about resources and theme files.
<code>bgType</code>	Allows determining the type of the background whether it is an image, color, or gradient. Valid values are: <code>BACKGROUND_IMAGE_SCALED</code> , <code>BACKGROUND_IMAGE_TILE_BOTH</code> , <code>BACKGROUND_IMAGE_TILE_VERTICAL</code> , <code>BACKGROUND_IMAGE_TILE_HORIZONTAL</code> , <code>BACKGROUND_IMAGE_ALIGNED</code> , <code>BACKGROUND_GRADIENT_LINEAR_HORIZONTAL</code> , <code>BACKGROUND_GRADIENT_LINEAR_VERTICAL</code> , <code>BACKGROUOUND_GRADIENT_RADIAL</code>

TABLE 8-1 Attributes (*Continued*)

Attribute	Value
<code>fgColor</code>	Hexadecimal number representing the foreground color for the component usually used to draw the font in an unselected widget. For example, red would be: <code>ff0000</code>
<code>font</code>	<p>Either the name of a bitmap font (previously loaded or defined in the same resource, see the resources chapter) or a definition for a system font. For example, a bitmap font can be defined as:</p> <pre>Bitmap{myFontName}</pre> <p>A system font would be defined as:</p> <pre>System{face;style;size} where face=FACE_SYSTEM,FACE_PROPORTIONALFACE_PROPORTIONAL style=STYLE_PLAIN,STYLE_BOLD,STYLE_ITALIC size=SIZE_MEDIUM,SIZE_SMALL,SIZE_LARGE</pre> <p>For example:</p> <pre>System{FACE_SYSTEM;STYLE_PLAIN;SIZE_SMALL}</pre>
<code>margin</code>	The amount of margin for the component defined as 4 comma-separated integer values representing top, bottom, left, and right. For example, <code>1, 2, 3, 4</code> results in 1 pixel margin top, 2 pixels margin bottom, 3 pixels margin left and 4 pixels margin right.
<code>padding</code>	Padding is identical to margin in terms of format but it updates the padding property of the component. To understand padding versus margin further please refer to the box model explanation in Section 7.4, “Margin and Padding” on page 7-2.
<code>transparency</code>	A number between 0 and 255 representing the opacity of a component’s background. 0 means the background of the component doesn’t draw at all (fully transparent) while 255 represents a completely opaque background. Notice that this value currently has no effect on background images (although this behavior might change in a future release).

To install a theme you must load it from the Resources class (see [Chapter 9](#)), from which you receive the already parsed hashtable containing the selectors (keys) and their appropriate values. You then submit this class to the UI manager's `setThemeProps` method in order to update the current theme. It is a good practice to call `refreshTheme` on all components in memory (even those that are not visible) otherwise behavior is unpredictable.

8.2 Look and Feel

While a theme is remarkably powerful and relatively simple, it doesn't allow the deep type of customization some applications require. Developers would often like the ability to control the drawing of all widgets from a single location, relieving them of the need to subclass widgets and manipulate their paint behavior.

LWUIT delegates all drawing to a single abstract base class called `LookAndFeel`, an instance of which may be obtained from the `UIManager`. This class has a concrete subclass which provides the default LWUIT look called `DefaultLookAndFeel`. Both `LookAndFeel` and `DefaultLookAndFeel` may be subclassed in order to extend/replace their functionality.

The look and feel class has methods for determining the boundaries (preferred size) of component types and for painting all components. In addition it has some special methods that allow you to bind special logic to components and manually draw widgets such as scroll bars. It is the responsibility of the Look and Feel developer to properly use the `Style` objects delivered by the theme. If you replace the look and feel class, you must make sure to extract values appropriately from component styles of the theming functionality or LWUIT can break.

For further details about the look and feel classes, please consult the API documentation.

Resources

9.1 Introduction

LWUIT permits the following resource elements:

- [Image Resources](#)
- [Dynamic Fonts](#)
- [Localization \(L10N\) bundles](#)
- [Themes](#)

Resources can be delivered as a bundle (a binary file that can be loaded and used on the device). A bundle can combine several different resource types within a single file, thereby easing distribution and improving compression. LWUIT supports two methods for creating a resource bundle: a set of Ant tasks, or the graphical LWUIT Designer utility (see [Section 9.3, “The LWUIT Designer” on page 9-7](#)).

9.2 Resource Elements

The following sections detail the five resource types and the ways in which they relate to the resource bundle mechanism.

9.2.1 Building a Bundle

A resource bundle can be built using Ant during the standard application build process. Resource files convert existing files into bundles as necessary. An application can have any number of resource files.

A resource file is loaded fully into memory (due to Java ME IO constraints), so you should group resources based on the needs of the application flow. This allows the application to load only the necessary resources for a given form or use case and leaves memory free for additional resources needed by other forms or use cases.

9.2.1.1 Creating a Resource

To create a resource, use code similar to the following example in your build file:

```
<taskdef
  classpath="editor.jar"
  classname="com.sun.lwuit.tools.resourcebuilder.LWUITTask"
  name="build" />
<build dest="src/myresourceFile.res">
  <image file="images/myImage.png" name="imageName" />
</build>
```

You can add several additional types of resources to the build tag. These optional resource tags are explained in the remainder of this chapter.

9.2.1.2 Loading a Resource

To load a resource into your application, use code similar to this:

```
Resources res = Resources.open("/myresourceFile.res");
Image i = res.getImage("imageName");
```

9.2.2 Image Resources

There are several types of images in LWUIT, most of which can be stored either individually in the Java archive (JAR™) or packaged as part of a resource bundle.

To load an image stored in the JAR file, use the following code:

```
Image image = Image.createImage("/images/duke.png");
```

The Image tag supports the following attributes:

name	The name of the resource (defaults to the name of the file name).
file	The file that would be used for the image (required)
indexed	True or false, whether to store a indexed image. Defaults to False (see Section 9.2.3, “Indexed Images” on page 9-3 below).

Once loaded, the image is ready to be used as a background image of a component or even as an icon for a component that can contain an image.

To package an image in the resource bundle, use the code sample described in [Section 9.2.1.1, “Creating a Resource” on page 9-2](#).

9.2.3 Indexed Images

Images can occupy a great deal of memory in runtime. For example, a background image scaled to a phone with 320x240 resolution with 1.6 million colors would take up 320x240x4 bytes (307200 bytes = 300 kilobytes)!

Some devices have barely 2mb of RAM allocated to Java, yet feature high resolutions and color depths, leaving very little space in which the application can function. Indexed images work on the tried and true concept of using a palette to draw. Rather than store the image as a set of Alpha, Red, Green, Blue (ARGB) values, the indexed image relies on the notion that there are no more than 256 colors in an image (if there are more, the Ant task tries to gracefully reduce the color count, resulting in lost details). An image with 256 colors or less can be represented using an array of bytes and an array of integers (no bigger that 256x4=1kb) thus saving approximately 70 percent of the RAM required for the image!

For example, assuming the image mentioned above uses all 256 colors, the memory occupied is 320x240+1024 (77824 bytes = 76kb), or a savings of 74.7 percent! The memory savings are significant, and especially welcome on low-end devices.

The downsides to using a index image are as follows:

- They are slower to render on the screen since they require a lookup for every pixel. This is noticeable when rendering complex elements, but on modern devices (even weak devices) it isn't obvious.
- Resource bundles must be used to store indexed images because there is no standard format for indexed images supported across all Java ME devices.
- Converting an image in runtime to a indexed image can be very slow and can fail (if there are too many colors), which is why it is beneficial to choose indexed images during the build phase.

- Because indexed images aren't compressed the resource file appears larger (and the space taken on the device is larger), however, in practice the indexed images compress very well in the JAR and in fact take less space than the equivalent PNG image after compression.

You can read more in the `IndexedImage` API documentation. Since indexed images are derivatives of the `Image` class they can be replaced in place with reasonable compatibility.

Notice that indexed images are immutable and can't be modified after they are created, so methods such as `getGraphics()` do not work correctly. Consult the API documentation to verify the appropriate functionality.

9.2.4 Fonts

The LWUIT library supports bitmap fonts, system fonts, and loadable fonts. System fonts use basic native fonts and are based on the common MIDP fonts. For more detailed information please see the Font API in the API documentation located in *install-dir/docs/api/lwuit*.

Bitmap fonts generate fonts on the desktop as image files. These image can be used to draw desktop quality fonts on a device without requiring specific support from the device.

Loadable fonts support specifying a font as a name or even as a TrueType font file, if the underlying operating system supports such fonts, the font object would be created.

All fonts can be used in a theme file and are represented using the `Font` class in LWUIT.

9.2.4.1 System Font

Three basic parameters define a system font:

Face	Valid values are <code>FACE_SYSTEM</code> , <code>FACE_PROPORTIONAL</code> and <code>FACE_MONOSPACE</code> .
Style	Valid values are <code>STYLE_PLAIN</code> , <code>STYLE_ITALIC</code> , <code>STYLE_BOLD</code> .
Size	Valid values are <code>SIZE_SMALL</code> , <code>SIZE_MEDIUM</code> , <code>SIZE_LARGE</code> .

To create a system font, use the following code:

```
Font.createSystemFont(Font.FACE_SYSTEM,  
                     Font.STYLE_BOLD,
```

```
Font.SIZE_MEDIUM);
```

To create a bold italic font style use code similar to the following:

```
Font.createSystemFont(Font.FACE_SYSTEM,  
    Font.STYLE_BOLD | Font.STYLE_ITALIC,  
    Font.SIZE_MEDIUM);
```

9.2.4.2 Dynamic Fonts

Different platforms have different font support, e.g. phones usually only support system and bitmap fonts while TV's usually support truetype fonts but don't work well with bitmap fonts. LWUIT has support for defining fonts in resources that allow a resource to adapt for different devices. To support portability LWUIT allows specifying a loadable font if such a font is supported by the underlying system and allows bundling bitmaps for increased portability. As a fallback a system font is always defined, thus if the native font isn't supported or a developer isn't interested in using a bitmap font the system font fallback can always be used. It is possible to define such a font using the Ant task with the following syntax:

```
<build dest="src/myresourceFile.res">  
    <font logicalName="SansSerif" name="myFont" size="20" />  
</build>
```

The following attributes are supported for the font Ant task:

name	Name of the font to load from the resource file (optional: defaults to logical name or file name).
charset	Defaults to the English alphabet, numbers and common signs. Should contain a list of all characters that are supported by a font. For example, if a font is always used for uppercase letters then it would save space to define the charset as: "ABCDEFGHIJKLMNOPQRSTUVWXYZ"
src	Font file in the case of using a file. Defaults to TrueType font. size floating point size of the font.
bold	Defaults to False. Indicates whether the font should be bold.
trueType	Defaults to True, relevant only when src is used. If set to False, type 1 fonts are assumed.
antiAliasing	Defaults to True. If false, fonts are aliased.
logicalName	The logical name of the font as specified by java.awt.Font in Java SE: Dialog, DialogInput, Monospaced, Serif, or SansSerif.
createBitmap	Defaults to True. If false no bitmap version of the font is created.

9.2.5 Localization (L10N)

Resource bundles support localization resources, allowing the developer to store key-value pairs within the resource file. The localization bundles use the format of Java property files, which only support USASCII characters. To enter characters in a different script, either use a special editor (such as NetBeans) or use the native2ascii JDK tool with the Ant task to convert the file.

To create a resource bundle use the following code

```
<build dest="src/myresourceFile.res">
  <l10n name="localize">
    <locale name="en" file="l10n/localize.properties" />
    <locale name="iw" file="l10n/localize_iw_IL.properties" />
  </l10n>
</build>
```

To load the localization resource use the following syntax:

```
Hashtable h = bundle.getL10N("localize", "en");
```

The hashtable contains the key value pairs of the resources within the bundle allowing for easy localization. LWUIT supports automatic localization through the `UIManager.setResourceBundle(Hashtable)` method. This installs a global resource bundle which is “checked” whenever a localizable resource is created, thus allowing for the replacement of the entire UI language without querying the resource bundle manually.

9.2.6 Themes

This section discusses how themes work as resources. See [Chapter 7](#) and [Chapter 8](#) to both of these chapters in-depth discussions of styles and theming in LWUIT.

A theme can be defined using a key value properties file containing selectors and values. A selector can be defined as an attribute value, optionally with a component name prepended to it for narrowing the selection further.

The value of an entry in the theme depends on the type of the entry, some entries such as `bgImage` expect an image object and some entries such as `Font` expect a font definition. Most entries just expect numbers. For example, this is a typical snippet from a theme:

```
sel#fgColor= 0017ff
font= systemSmall
Form.bgImage=myBackground
Form.font=Serif
SoftButton.bgColor= ff
```



```
SoftButton.fgColor= ffffff
```

To add this theme into a resource, add the following:

```
<build dest="src/myresourceFile .res">
  <font logicalName="Serif" bold="true" />
  <font createBitmap="false" name="systemSmall"
    system="FACE_SYSTEM ; STYLE_PLAIN; SIZE_SMALL" />
  <image file="images/background.png" name="myBackground"
    pack="true" />
  <theme file="themes/myTheme.conf" name="myTheme" />
</build>
```

This theme can then be installed as follows:

```
UIManager.getInstance().setThemeProps(res.getTheme(myTheme));
```


9.3 The LWUIT Designer

The LWUIT Designer is a standalone GUI tool that allows UI experts, developers, and translators to open, create, and edit resource packages for LWUIT. The LWUIT Designer was designed for visual work and provides “live” preview of all UI changes, enabling rapid UI customization.


Currently the LWUIT Designer and the Ant tasks accomplish the same thing, with one limitation. In the LWUIT Designer all bitmap fonts used by the theme must be defined within the theme itself. A theme cannot reference a bitmap font defined in a different resource file.


The LWUIT Designer supports the six resource types described in [Section 9.2, “Resource Elements”](#) on page 9-1.


FIGURE 9-1 Editing the Default LWUIT Look and Feel



To use the tool, launch the LWUIT Designer application from your LWUIT distribution.

- Use File > Open to load an existing resource (.res) file.
- To add a resource, click the  button in the tab representing the element type you wish to add and specify a name for the resource. Specify a name for the resource. The new resource is added under the appropriate tab.



- To create a new theme, select the Theme node, then click the  button. Note that a resource bundle can contain more than one theme.

Note – The live preview is displayed for themes only and represents the behavior of the theme alone. It doesn't contain the other resources in the file that do not relate to the theme.

9.3.1 Images and Animations

Images and animations can be used either by a theme or by the LWUIT application. The LWUIT Designer supports images (JPEG, PNG) and animated GIFs. The image and animations can be replaced using the ... button.

FIGURE 9-2 Image View



Standard images can also be indexed. An indexed image takes less space in the final application and occupies less memory space, however, it takes longer to draw and supports up to 256 colors. When you click the Indexed image radio button, the number of colors is verified. If more than 256 colors are present the application offers to try to reduce that number (with quality implications). **It is a good practice to use an image editing tool to index images before including them.**

Note that an Alpha channel (beyond full transparency) might be somewhat problematic with indexed images.

9.3.2 Fonts

The LWUIT Designer can use device specific fonts or create bitmap fonts for the devices from any font installed in your desktop operating system. [FIGURE 9-3](#) shows the font editing dialog that appears when adding a new font to the resource file.

FIGURE 9-3 Font Editing View

The screenshot shows the 'Font Editing View' dialog box. It has a light beige background. On the left, there are labels for various settings: 'Create Bitmap', 'System Font', 'Family', 'Size', 'Style', 'Anti-Aliasing', 'Charset', and 'Preview'. The 'Create Bitmap' checkbox is checked. 'System Font' is set to 'SYSTEM', 'PLAIN', and 'MEDIUM'. 'Family' is 'Monospaced'. 'Size' is '13'. 'Style' has 'Bold' and 'Italic' checkboxes, with 'Bold' selected. 'Anti-Aliasing' is 'Simple'. 'Charset' is a text area containing two lines of characters: 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789.,;:!\@/\ * () [] {} | # \$ % ^ & < > ? ' " + -'. The 'Preview' section shows the same characters rendered in the selected font style.

Note – Using the LWUIT Designer does not grant you permission to use the fonts commercially in any way. Licensing the right to use a particular font within a mobile application is strictly your responsibility!

To create a bitmap font, the "Create Bitmap" checkbox must be enabled. make sure to specify the characters you need from the font (defaults to upper and lower case English with numbers and symbols). Notice that the more characters you pick in the character set, the more RAM the font will consume on the device. Anti-aliasing is built in to the bitmap font. When running under Java 5 the LWUIT Designer has two anti-aliasing options: Off indicates no anti-aliasing in the bitmap font, and Simple indicates standard anti-aliasing.

9.3.3 Localization

A localization resource can be edited by assigning key/value pairs to use within the application. A key can be mapped to a resource name in any locale.

The editor allows you to add or remove locales listed in the combo box above and appropriately edit the locale entries in the table below. To add or remove a locale property use the buttons on the bottom of the screen.

FIGURE 9-4 Localization and Internationalization View

Locale: en [v] [Add Locale] [Remove Locale] [Export] [Import]

Filter: []


Key	en	iw
AnimationDemo.help	Animations can be invoked by registering the...	Animations can be invoked by registering the...
cancel	Cancel	Cancel
menu	Menu	Menu
ok	OK	OK
select	Select	Select

[Add Property] [Remove Property]

9.3.4 Themes

To modify a theme resource, set the selectors and the theme resources to appropriate values to produce an attractive UI. When creating a new theme you see a UI containing the table of selectors and resources (for more in depth details of themes for developers, see [Chapter 8](#)).


FIGURE 9-5 Blank Theme View Without Any Styles



To modify the theme, choose a selector on the left side and click the Edit button. You can add new selectors using the Add button in the theme. To modify an existing selector, select it in the table and double click or press the Edit button.

9.3.4.1 Example: Adding a New Theme


This section describes how to add a new theme using the LWUIT Designer.

1. Use the  button to add a new theme and select it in the tab.
2. Click the Add button within the theme area (Add Entry) and select `bgColor` for the attribute.
 - Pick yellow using the ... button next to color. Click OK.
You have created a “default attribute” where the default background color for all components is yellow.
3. Click the Add button again and select `SoftButton` in the Components combo box.
 - Select `bgColor` in the attribute combo box.
 - Use the ... button next to color to pick blue. Click OK.

You have overridden the default specifically for the SoftButton.


4. Because black over blue is unreadable, add another entry for SoftButton.
 - Pick the fgColor attribute and make it white.

FIGURE 9-6 Theme Built From Scratch



5. The title looks small and insignificant. You might add a Title fgColor and set it to red, but that's not quite enough.
 - Click on add and select the Title component and the font attribute
 - In the Font Type row, click Bitmap. The Bitmap font dropdown is enabled.
 - In the Bitmap Font row, click ... to add a new font. [FIGURE 9-3](#) shows “Comic Sans MS” 18 Bold selected.Click OK when you are finished.

FIGURE 9-7 Theme View When Editing the Default LWUIT Look and Feel




You can gain deeper understanding of the selector concept from [Chapter 7](#) and [Chapter 8](#).

9.3.4.2 Modifying Theme Properties

Another way to learn about themes is by experimentation. When you check the Live Highlighting box (as shown in [FIGURE 9-7](#)) and select a table entry, the relevant property “blinks” on the screen. This allows you to investigate what theme aspects affect the application, with some minor caveats: a property might affect a different form in the application, otherwise, it might be hard to notice its effect.

You can modify and add theme properties very easily using the Edit dialog ([FIGURE 9-8](#)). This dialog allows you to specify the component type (or no component for a global or default property) and the attribute that you wish to modify. As you make changes in this dialog the preview is updated. Click OK to make the changes made to the preview permanent.

FIGURE 9-8 Theme View Editing Option



This dialog abstracts most of the complexity related to the different attribute types. For example, the font attribute only allows setting a bitmap or system font while a `bgImage` attribute only allows selecting or adding an image.

9.3.4.3 Data

Data is generally designed for developers and shouldn't be used by designers.


An arbitrary file can be placed within this section and it can be accessed by developers in runtime. This section has no effect on the rest of the functionality even if the data file is an image or font.

9.3.4.4 Customizing the Preview

The preview showing the LWUIT Demo allows for easy customization of a MIDlet which is not necessarily limited to the LWUIT Demo. The LWUIT Designer supports plugging in your own MIDlet so you can test your theme on the fly.

To install your own MIDlet into the LWUIT Designer preview panel, use the MIDlet > Pick MIDlet menu and select the JAR file for your own MIDlet.

FIGURE 9-9 LWUIT Designer With a Different MIDlet



There are, however, several restrictions and limitations in this feature. Since the MIDlet will be executed in Java SE it can't leverage `javax.microedition` APIs. While the APIs are present they are implemented in stub form. For example, if you use RMS, GCF, and so forth, they will return null for all queries and do nothing in all operations. Additionally, invoking features such as theming won't work.

If there is a failure in the MIDlet the LWUIT Designer will silently load the LWUIT Demo in the preview and use it instead. To debug the failure, execute the LWUIT Designer from command line using `java -jar ResourceEditor.jar`. When entering the theme option you can see the stack trace of the exception that caused the failure.

9.3.4.5 Known Issues

There is currently a known issue in some operating systems which causes the LWUIT Designer to fail in some cases when using the Aero theme. This issue stems from Java SE's look and feel implementation and the only workaround is to change the application look and feel using the Look And Feel menu option.

Using Transitions and Animations

Lightweight UI Toolkit library supporting transition that is implemented by animation.

10.1 Animation

Animation is an interface that allows any object to react to events and draw an animation at a fixed interval. All animation methods are executed on the EDT. For simplicity's sake, all Components can be animated, however, no animation appears unless it is explicitly registered into the parent form. To stop animation callbacks the animation must be explicitly removed from the form (notice that this differs from removing the component from the form)! In Lightweight UI Toolkit there are few transitions that have been extended from Animation. See [Section 10.3, "Transition" on page 10-2](#).

10.2 Motion

The Motion class abstracts the idea of motion over time, from one point to another. Motion can be subclassed to implement any motion equation for appropriate physics effects. This class relies on the `System.currentTimeMillis()` method to provide transitions between coordinates. Examples for such movement equations can be; parabolic, spline, or even linear motion. Default implementation provides a simple physical algorithm giving the feel of acceleration and deceleration. In this implementation all animation elements (Transition, Scrolling, and so forth) use the same motion implementation, so they all have smooth movement.

10.3 Transition

Currently a transition refers to the transition between two Forms as animate In and Out transition animation. All transitions use a physical animation curve calculation to simulate acceleration and deceleration while pacing a motion based on the amount of time specified. There are three types of transitions:

Slide Exiting form by sliding out of the screen while the new form slides in.

Fade Components fade into and out of the screen at a predefined speed.

10.3.1 Slide Transition

To create a slide transition, that reacts while exiting the first form, use:

```
CommonTransitions.createSlide(int type, boolean forward, int speed)
```

type	Type can be either <code>SLIDE_HORIZONTAL</code> or <code>SLIDE_VERTICAL</code> , indicating the movement direction of the forms.
forward	Forward is a boolean value representing the directions of switching forms. For example for a horizontal type, true means horizontal movement to the right. For a vertical type, true means movement towards the bottom.
speed	Speed is an integer representing the speed of changing components in milliseconds.

For example:

```
// Create a horizontal transition that moves to the right
// and exposes the next form

myForm.setTransitionOutAnimator(CommonTransitions.createSlide(
    CommonTransitions.SLIDE_HORIZONTAL, true, 1000));
```

FIGURE 10-1 shows four snapshots of the horizontal transition from a menu to a radio button list.

FIGURE 10-1 Slide Transition from Form to Theme Menu



10.3.2 Fade Transition

Fade transition creates a fade-in effect when switching to the next form. To create this transition use:

```
CommonTransitions.createFade(int speed)
```

In the above code speed is an integer representing the speed of changing components, in milliseconds.

For example:

```
// Create a fade effect with speed of 400 millisecond,  
// when entering myform  
  
themeForm.setTransitionInAnimator(CommonTransitions.createFade(400));
```

FIGURE 10-2 Fade Transition From Form to Theme Menu



Using 3D

M3G is a Scene Graph or Immediate Mode 3D API that supports optional hardware acceleration on mobile devices. Some applications and demos might choose to leverage its 3D abilities in order to deliver a more compelling user experience by integrating 3D special effects with the 2D user interface (for example, a cube transition effect). The main use case revolves around drawing 3D elements within LWUIT applications or using LWUIT drawn widgets in 3D worlds (such as LWUIT Image objects).

Normally M3G is bound directly to the graphics or image object during the standard rendering (painting) process, however, since LWUIT abstracts this process by supplying its own graphics object type this doesn't work.

M3G integration into LWUIT is built around a callback mechanism that allows the developer to bind a LWUIT Graphics object to a M3G Graphics3D object. M3G support is designed to work only on devices that support M3G. If your device does not support M3G the LWUIT implementation avoids activating M3G code.

The LWUIT `com.sun.lwuit.M3G` class provides support for JSR 184. Within this class LWUIT offers an internal interface (`M3G.Callback`) that must be implemented in order to render the 3D scene. A LWUIT paint method `M3G.bind(Graphics)` should be invoked in order to bind to M3G (instead of `Graphics3D.bind`) resulting in a callback invocation containing the appropriate 3D object similar to the example shown below:

```

class MyComponent extends Component {
    private M3G.Callback myCallbackInstance = new MyCallback();
    ....
    public void paint(Graphics g) {
        M3G.getInstance().renderM3G(g, true, 0, myCallbackInstance);
        // draw some stuff in 2D
        ...
    }
    ....
}
class MyCallback implements M3G.Callback {
    ....
    public void paintM3G(Graphics3D g3d) {
        g3d.clear(background);
        g3d.render(world);
    }
    ...
}

```

Due to the way in which device 3D rendering is implemented and constraints of hardware acceleration, it is important to render 2D and 3D on their own. LWUIT handles this seamlessly (flushing the 3D/2D pipelines as necessary), however, you must *not* keep instances of `Graphics` or `Graphics3D` and invoke them on a separate thread. Furthermore, the `Graphics` object must *NEVER* be used in the `paintM3G` method and the `Graphics3D` object must never be used outside of that method. This applies to the existence of the `paintM3G` method in the stack. For example:

```

public void paint(Graphics g) {
    // not allowed to use Graphics3D
    invokeFromPaint();
}
public void invokeFromPaint() {
    // not allowed to use Graphics3D
}
public void paintM3G(Graphics3D g3d) {
    // not allowed to use Graphics
    invokeFromPaintM3G();
}
public void invokeFromPaintM3G() {
    // not allowed to use Graphics
}

```

The M3G API makes heavy use of an `Image2D` object which is constructed using the platform native `Image` object. However, since this image type is encapsulated by LWUIT you must construct M3G `Image2D` objects using the `createImage2D` method within M3G.

The normal method of instantiating `Image2D` objects doesn't accept LWUIT image objects because they are unrecognized by the M3G implementation.

Notice that currently only standard LWUIT images are supported by M3G. `IndexedImage` and `RGBImage` are unsupported in the M3G binding. This might change in future iterations of the API.

Logging

Adding logging statements into your code is the simplest debugging method. The logging framework allows you to log into storage (RMS) or your file system at runtime without changing your binary. There are four debugging levels to help you better monitor your code: DEBUG, INFO, WARNING and ERROR.

DEBUG Default and the lowest level.

INFO Second level.

WARNING Third level.

ERROR Highest level of debugging.

You should use the Log class coupled with NetBeans preprocessing tags to reduce its overhead completely in runtime. For information on the Log class, see `com.sun.lwuit.util.Log` in the LWUIT API documentation.

12.1 Writing to a Log

To write into a log, you use the static `p(String text)` or `p(String text, int level)` methods. For example:

```
Log.p("Finish loading images").
```

12.2 Showing the Log

To print out the log, use the static `showLog()` method. If you are using `microedition.io.file.FileConnection`, the log is written to the root location as the file `file.log`. If you don't use a file connection, a new Form appears with the log text inside.

The following example shows how to work with NetBeans preprocessing tags:

```
// In case you are in debug mode, import Log class
// #debug
import com.sun.lwuit.util.Log;

// Here is how to surround a log method, inside your code
// #mdebug

if(keyCode == Canvas.KEY_POUND) {
    Log.showLog();
}
//#enddebug
```

Using preprocessing tags reduces the size of the source code, which is an important issue in mobile development. For more information, please refer to [NetBeans](#) information on preprocessing tags.

Authoring Components

13.1 Introduction

LWUIT is designed to be as extensible and modular as possible. A developer can replace or extend almost every component within LWUIT (as of this writing none of the LWUIT components are defined as final). In the spirit of Swing, a third-party developer can write an LWUIT component from scratch by implementing painting and event handling.

Furthermore, thanks to the composite pattern used by LWUIT (and Swing with AWT), small custom and preexisting components can be combined to form a single component.

The composite approach is mentioned in [Chapter 2](#). This chapter focuses on writing a component from scratch and plugging it into the LWUIT features such as the theme engine, painters, etcetera. This chapter discusses direct derivation from the Component, but you can derive from any existing LWUIT component to produce similar results. For example, ComboBox derives from List, Button from Label, CheckBox from Button, Dialog from Form, and so forth.

13.2 Painting


Writing a custom component should be immediately familiar to Swing/AWT developers. The following example derives from `Component` and overrides `paint` in order to draw on the screen:

```
public class MyComponent extends Component {
    public void paint(Graphics g) {
        g.setColor(0xffffffff);
        g.fillRect(getX(), getY(), getWidth(), getHeight());
        g.setColor(0);
        g.drawString("Hello World", getX(), getY());
    }
}
```

This component writes `Hello World` in black text on a white background. To show it we can use the following code, resulting in [FIGURE 13-1](#). As mentioned earlier, you can also derive from an appropriate subclass of `Component`; overriding `paint` is optional.

```
Form testForm = new Form();
testForm.setLayout(new BorderLayout());
testForm.addComponent(BorderLayout.CENTER, new MyComponent());
testForm.show();
```

FIGURE 13-1 Hello World



Notice several interesting things that might not be obvious in the example:

- Setting the color ignores the alpha component of the color. All colors are presumed to be opaque RGB colors.
- The rectangle is filled and the text is drawn in the X coordinate of the component. Unlike Swing, which “translates” for every component coordinate, LWUIT only translates to the parent container’s coordinates, so it is necessary to draw in the

right X/Y position (rather than 0,0) because the component position might not be the same as the parent's. For example, to draw a point at the top left of the component, you must draw it from `getX()` and `getY()`.

13.3 Sizing In Layout

In most cases the example above won't work properly because the layout manager doesn't "know" how much space to allocate. To fix this you must define a preferred size.

A preferred size is the size which the component requests from the layout manager. It might take more (or less) but the size should be sufficient to support rendering. The preferred size is calculated based on images used and font sizes used. The component developer (or look and feel author) is responsible for calculating the proper size.

The `calcPreferredSize()` method is invoked when laying out the component initially (and later when changing themes). It allows you to determine the size you want for the component as follows:

```
protected Dimension calcPreferredSize() {
    Font fnt = Font.getDefaultFont();
    int width = fnt.stringWidth("99999-9999");
    int height = fnt.getHeight();
    return new Dimension(width, height);
}
```

Unlike Swing/AWT, LWUIT doesn't have minimum or maximum size methods, thus your job as a component developer is simpler. Components grow based on the layout manager choices rather than component developer choices

This example uses a hardcoded text for sizing rather than the input string, so the component won't constantly resize itself in the layout as the user inputs characters.

After making these changes you no longer need to use the border layout to place the component and it now occupies the correct size, so you can show the component using the following code (default layout if `FlowLayout`):

```
Form testForm = new Form();
testForm.addComponent(new MyComponent());
testForm.show();
```

13.4 Event Handling

So far the component doesn't have any interactivity or react to user events. To improve the component, we can build a simple input area that accepts only numeric values (for simplicity's sake we do not support cursor navigation).

Event handling in LWUIT is very similar to MIDP event handling (which is designed for small devices) in which we receive the calls from the platform in methods of the subclass. To accept user key presses, override the appropriate key released method as follows:

```
public void keyReleased(int keyCode) {
    if(keyCode >= '0' && keyCode <= '9') {
        char c = (char)keyCode;
        inputString += c;
        repaint();
    }
}
```

Note, it is an LWUIT convention to place actions in the key released event rather than the key press event (except for special cases). This is important from a UI perspective, because navigation triggered by a key press event might send the key release event to a new form, causing odd behavior.

13.5 Focus

If you run the event handling code above, you can see the event never actually occurs. This is because the component must accept focus in order to handle events. By default, components are not focusable and you must activate focus support as follows:

```
setFocusable(true);
```

Once activated, focus works as you would expect and the behavior is correct. It makes sense to detect focus within the `paint(Graphics)` method (or `paintBorder`) and draw the component differently in order to visually indicate to the user that focus has reached the given component.

13.6 The Painting Pipeline

This section discuss painting the component with regard to styles and focus. To understand styling and proper painting process it's necessary to understand the basics of how painting occurs in LWUIT.

Painting operations are performed in order by the rendering pipeline, and all painting is performed in order on the event dispatch thread (EDT):

1. First the background is painted using the appropriate painter (see the background painters section). This makes sure the background is properly “cleared” to draw.
2. The `paint` method is invoked with the coordinates translated to its parent container.
3. The `paintBorder` method is invoked with the same translation.
4. Both `paint` and `paintBorder` usually delegate their work to the `LookAndFeel` class to allow decoupling of the drawing code from the view code. For example, `Button`'s `paint` method looks something like this:

```
public void paint(Graphics g) {
    UIManager.getInstance().getLookAndFeel().drawButton(g, this);
}
```

Paint border from component defaults to a reasonable value as well:

```
protected void paintBorder(Graphics g) {
    if (isFocusPainted() && hasFocus()) {
        UIManager.getInstance().getLookAndFeel().drawBorder(g, this,
            getStyle().getFgSelectionColor(), 2);
    } else {
        UIManager.getInstance().getLookAndFeel().drawBorder(g, this,
            getStyle().getFgColor(), 2);
    }
}
```

13.7 Styling

In the beginning we painted the component using simple drawing methods, completely disregarding the style. While this is perfectly legal it fails to take advantage of LWUIT's theming functionality.

The “right way” to paint in LWUIT regards the Style object and ideally delegates work to the LookAndFeel class. Notice that you can subclass `DefaultLookAndFeel` and add any method you want, such as `paintMyComponent()`. This allows you to implement component painting “correctly” within the look and feel. However, for custom-made components this might not be the best approach since it blocks other third parties from using your components if they have already created a look and feel of their own.

For simplicity, this example does all the painting within the component itself.

To paint the input component correctly, implement the `paint` method as follows:

```
public void paint(Graphics g) {
    UIManager.getInstance().getLookAndFeel().setFG(g, this);
    Style style = getStyle();
    g.drawString(inputString, getX() + style.getPadding(LEFT),
        getY() + style.getPadding(TOP));
}
```

There are several things of interest in the code above:

- `setFG` sets the foreground color and font based on the state of the component (enabled, hasFocus).
- Style padding positions the text. Notice it ignores the margins, which are already in the translated coordinates of the paint (margins work without any change in the code).
- There’s no need to paint the background, draw a border or check for focus. These things are all handled implicitly by LWUIT!

This isn't enough though, the implementation of `calcPreferredSize` must take all of these things into account, including the possibility of user installed fonts.

```
protected Dimension calcPreferredSize() {
    Style style = getStyle();
    Font fnt = style.getFont();
    int width = fnt.stringWidth(inputString);
    int height = fnt.getHeight();
    height += style.getPadding(Component.TOP) +
        style.getPadding(Component.BOTTOM);
    width += style.getPadding(Component.LEFT) +
        style.getPadding(Component.RIGHT);
    return new Dimension(width, height);
}
```


With these two things in order our component is functional and works with the existing theme!

FIGURE 13-2 Original Component Theme



If we change the theme to the Java theme from the UI demo, the same code produces [FIGURE 13-3](#).

FIGURE 13-3 New Theme



However, there is one last thing for styles to work correctly. Currently the component uses the default color scheme and font and doesn't allow the designer to specify a style specific to this component. To allow this functionality you must allow the component to be identified in the theme editor, even in obfuscated code and in case of subclasses. To do this, override `getUIID()` and return the name you want for the component:

```
protected String getUIID() {  
    return "NumericInput";  
}
```

This allows a designer to specify `NumericInput` within the LWUIT Designer's theme builder (in the Component combo box) in order to customize this component. Note, currently the LWUIT Designer doesn't support previews for custom-built components.

13.8 Background

Up until now we've assumed that LWUIT takes care of the background handling for us. However, it is important to understand how this works, otherwise performance might be impacted.

The background of a component is managed by a Painter (see the API documentation for `Painter` for further details). A Painter can draw any arbitrary graphics in the background and can be translucent or opaque. LWUIT creates painters implicitly based on background image or color in the style. Furthermore you can customize them either by creating your own special painter or by manipulating the style.

Since a painter can be translucent or transparent LWUIT recurses to the top most component, starts drawing its painter, then recurses down the paint hierarchy until the background is properly drawn. If your component is completely opaque (a square that draws all of its data) this extra work is redundant. To improve performance, define background transparency (in the style) to be 255 (0xff). This indicates your background is opaque.

Painters are designed for general pluggability. They work with your customized component without any effort on your part.

13.9 Animating The Component

We briefly discussed the animation framework in [Section 10.1, “Animation” on page 10-1](#). However, with a custom component the features are far more powerful.

First you must register the component as interested in animation. You cannot perform this registration during construction since there is no parent form at this stage. The component has an `initComponent` method that is guaranteed to invoke before the component is visible to the user and after the parent form is available.

```
protected void initComponent() {  
    getComponentForm().registerAnimated(this);  
}
```

The code above registers the animation, essentially triggering the `animate` method. The `animate` method can change the state of the component and optionally trigger a repaint when it returns true.

It is relatively easy to implement a “blinking cursor” using the `animate` method:

```
private boolean drawCursor = true;
private long time = System.currentTimeMillis();
public boolean animate() {
    boolean ani = super.animate();
    long currentTime = System.currentTimeMillis();
    if(drawCursor) {
        if((currentTime - time) > 800) {
            time = currentTime;
            drawCursor = false;
            return true;
        }
    } else {
        if((currentTime - time) > 200) {
            time = currentTime;
            drawCursor = true;
            return true;
        }
    }
    return ani;
}
```

Notice that all this code really does is change the `drawCursor` state in which case it returns true, indicating the need for a repaint. Now implementing a cursor within our `paint` method requires only the following lines:

```
public void paint(Graphics g) {
    UIManager.getInstance().getLookAndFeel().setFG(g, this);
    Style style = getStyle();
    g.drawString(inputString, getX() + style.getPadding(LEFT),
        getY() + style.getPadding(TOP));
    if(drawCursor) {
        int w = style.getFont().stringWidth(inputString);
        int cursorX = getX() + style.getPadding(LEFT) + w;
        int cursorY = getY() + style.getPadding(TOP);
        g.drawLine(cursorX, cursorY, cursorX, cursorY +
            style.getFont().getHeight());
    }
}
```

13.10 The Custom Component

[CODE EXAMPLE 13-1](#) shows the MIDlet Code with a theme.

[CODE EXAMPLE 13-2](#) shows the component code.

CODE EXAMPLE 13-1 MIDlet Code with Theme

```
import java.io.IOException;
import javax.microedition.midlet.MIDlet;
import com.sun.lwuit.Display;
import com.sun.lwuit.Form;
import com.sun.lwuit.plaf.UIManager;
import com.sun.lwuit.util.Resources;

public class LWUITMIDlet extends MIDlet {

    private boolean started;
    protected void startApp() {
        try {
            Display.init(this);
            Resources rl = Resources.open("/javaTheme.res");
            UIManager.getInstance().setThemeProps(rl.getTheme("javaTheme"));

            // distinguish between start and resume from pause

            if (!started) {
                started = true;
                Form testForm = new Form();
                testForm.addComponent(new MyComponent());
                testForm.show();
            }
        } catch (IOException ex) {
            ex.printStackTrace();
        }
    }
    protected void pauseApp() {
    }
    protected void destroyApp(boolean arg0) {
    }
}
```


CODE EXAMPLE 13-2 Component Code

```
import com.sun.lwuit.Component;
import com.sun.lwuit.Font;
import com.sun.lwuit.Graphics;
import com.sun.lwuit.geom.Dimension;
import com.sun.lwuit.plaf.Style;
import com.sun.lwuit.plaf.UIManager;

public class MyComponent extends Component {

    private boolean drawCursor = true;
    private long time = System.currentTimeMillis();
    private String inputString = "";

    public MyComponent() {
        setFocusable(true);
    }

    public void paint(Graphics g) {

        UIManager.getInstance().getLookAndFeel().setFG(g, this);
        Style style = getStyle();
        g.drawString(inputString, getX() + style.getPadding(LEFT), getY() +
            style.getPadding(TOP));

        if (drawCursor) {
            int w = style.getFont().stringWidth(inputString);
            int cursorX = getX() + style.getPadding(LEFT) + w;
            int cursorY = getY() + style.getPadding(TOP);
            g.drawLine(cursorX, cursorY, cursorX, cursorY +
                style.getFont().getHeight());
        }
    }

    protected Dimension calcPreferredSize() {
        Style style = getStyle();
        Font fnt = style.getFont();
        int width = fnt.stringWidth("99999-9999");
        int height = fnt.getHeight();
        height += style.getPadding(Component.TOP) +
            style.getPadding(Component.BOTTOM);
        width += style.getPadding(Component.LEFT) +
            style.getPadding(Component.RIGHT);
        return new Dimension(width, height);
    }
}
```

CODE EXAMPLE 13-2 Component Code (*Continued*)

```
protected String getUIID() {
    return "NumericInput";
}

public void keyReleased(int keyCode) {

    if (keyCode >= '0' && keyCode <= '9') {
        char c = (char) keyCode;
        inputString += c;
        repaint();
    }
}

protected void initComponents() {
    getComponentForm().registerAnimated(this);
}

public boolean animate() {

    boolean ani = super.animate();
    long currentTime = System.currentTimeMillis();
    if (drawCursor) {
        if ((currentTime - time) > 800) {
            time = currentTime;
            drawCursor = false;
            return true;
        }
    } else {
        if ((currentTime - time) > 200) {
            time = currentTime;
            drawCursor = true;
            return true;
        }
    }
    return ani;
}
}
```

Portability and Performance

14.1 Introduction

While portability is one of LWUIT's best attributes, it is also one of the hardest features to grasp. LWUIT is portable as a library and it also enables application porting in such a way that binary code or source can be compatible across different Java ME profiles.

Much has been said in the past about Java device fragmentation (write once debug everywhere). To understand LWUIT's portability you must first understand the original problems and the solutions LWUIT provides for each problem:

- Low quality or buggy implementations of the specification

This problem was far more severe with older (prior to CLDC 1.1) devices that LWUIT does not support. Thanks to modern TCKs, the virtual machine (VM) in modern devices is compatible, and furthermore the UI layer on which LWUIT is based is very narrow and relatively robust across devices.

- Low power, low memory devices

Again with newer CLDC 1.1 devices this is not as much of a problem as it used to be, but there are still concerns. See [Section 14.2, “Performance” on page 14-2](#) for a discussion on increasing performance and reducing memory overhead (sometimes trading off one for the other).

- Varying screen resolutions

LWUIT ships with a very fast low memory overhead scaling algorithm that doesn't lose transparency information. For extreme cases where the algorithm is not enough, LWUIT supports pluggable themes, allowing the UI to be customized with images more fitting to the resolution of the phone.

- Varying input methods

LWUIT detects soft buttons automatically, and navigation is already portable. LWUIT supports touch screens seamlessly out of the box. Text input works with the device native text box, ensuring proper input.

- Over-The-Air (OTA) code size limitations

This problem is solving itself, given relaxed carrier restrictions and increasing JAR file size allocations. LWUIT fully supports obfuscation and works properly with obfuscators that remove redundant code.

- Non-UI related pitfalls (networking issues, RMS incompatibility, etcetera)

LWUIT currently focuses only on UI related issues, so you must find your own solution for the many minor issues related to these problems. For most common use cases failure occurs because the device expects the “right thing”. For example, networking is problematic on some devices due to a connection that was never closed, and so forth.

14.2 Performance

Performance is a huge problem in portability. Problems in performance often creep on an application only to appear later in its life cycle. Performance is often a trade-off, mostly of memory for CPU or visa versa. The easiest way to improve performance is to reduce functionality.

Since LWUIT has pluggable theming you can substitute a simple theme without changing code. This makes it easier to see whether the problem is in the UI itself.

The following subsections discuss the specifics of memory and responsiveness. One thing to keep in mind is that performance and memory use on an emulator is no indication of device performance and memory overhead.

14.2.1 Memory

This section discusses factors that impact memory and speed.

14.2.1.1 Indexed Images

Memory is problematic, especially when programming small devices. When using LWUIT you must understand how memory directly relates to resolution and bit depth.

Assume you have two devices, a 16-bit color (65536 colors) device with 128x128 resolution that has 2 megabytes of memory and a 24-bit color device (16 million colors) with a 320x240 resolution and 3 megabytes of memory.

Which device provides more memory for an LWUIT application? The answer is not so simple.

Assume both devices have a background image set and scaled, so they need enough RAM to hold the uncompressed image in memory.

The smaller device needs 32,768 bytes just for a background buffer of the screen. The larger device requires 307,200 bytes for the same buffer!

Because screen buffers are needed both for the current form, the current transition (twice), and the MIDP implementation, the amount of memory the larger device consumes is staggering!

How did we reach these numbers?

The simple formula is:

*screen width * screen height * bytes per pixel = memory*

Therefore:

$$16 \text{ bit: } 128 * 128 * 2 = 32,768$$

$$24 \text{ bit: } 320 * 240 * 4 = 307,200$$

Notice that in the 24-bit device 24 bits are counted as an integer because there is no 24-bit primitive and implementations treat 24-bit color as 32-bit color.

So getting back to the two devices, in the worst case scenario four buffers are immediately consumed, and the remaining RAM compares as follows:

$$16 \text{ bit: } 2,097,152 - 32,768 * 4 = 1,966,128$$

$$24 \text{ bit: } 3,145,728 - 307,200 * 4 = 1,916,928$$

It turns out the 24-bit device has more RAM to begin with but doesn't have as much RAM to work with!

Notice that all of these calculations don't take into account the additional memory overhead required for LWUIT and your application.

Thankfully, LWUIT offers a partial solution in the form of indexed images, which turn this:

$$24 \text{ bit: } 320 * 240 * 4 = 307,200$$

Into this (approximately, could be slightly less):

$$24 \text{ bit: } 320 * 240 + 1\text{kb} = 77,824$$

Indexed images perform this magic by storing images as byte arrays with a lookup table. They trade off memory overhead for drawing performance, but in general on-device performance is good. Another drawback of indexed images is a restriction to no more than 256 colors per indexed image.

By using indexed images (animations are always indexed) you reduce most of the memory overhead on the device at little cost. This changes the result of the previous example considerably:

16 bit: $2,097,152 - 17,408 * 4 = 2,027,520$

24 bit: $3,145,728 - 77,824 * 4 = 2,834,432$

Using indexed images, a UI-heavy application can be run on a 2 megabyte 320x240 24-bit color device. Note that using tiled images or a solid color to fill the background is even “cheaper” than the savings reachable using indexed images.

14.2.1.2 Light Mode

Some of the default settings in LWUIT are memory intensive because LWUIT is designed for higher memory devices. However, LWUIT has a special flag to accommodate low memory devices and it can be activated in `Display`. `Display`'s `init()` method initializes the flag to a sensible default value which affects the way bitmap fonts and other LWUIT features utilize memory.

This flag can be activated manually for devices that experience memory problems, and it can be used by third-party applications to decide on caches, sizes, and so forth.

14.2.2 Speed

UI speed is often a user perception rather than a “real” performance issue. Slow performance happens, but a developer’s opinion of performance may not match an end-user’s perception. The best way to measure the speed of a UI is to give devices to a focus group of objective people and ask them how the UI “feels”.

That said, the following subsections you can monitor the event dispatch thread and

14.2.2.1 Event Dispatch Thread (EDT)

Performance often suffers because of slow paints. This often occurs when the EDT is being used without being released. It’s important not to “hold” the EDT and release it immediately when performing long running tasks. For further details on releasing the EDT see `Display` methods `callSerially`, `callSeriallyAndWait`, and `invokeAndBlock`.

The EDT might be blocked due to unrelated work on a different thread. Bad thread scheduling on devices causes this problem, in part because many hardware devices ignore thread priorities.

On some devices networking can cause a visible stall in the UI, a problem for which there is no “real” solution. The workaround for such cases is logical rather than technical. In this case a standard progress indicator stalls during a networking operation. It might work better to use a progress indicator heuristic that moves slower or does not move at all so the user is less likely to notice the interruption in the display.

14.2.2.2 LWUIT Performance

Different transition types have different performance overheads on devices. Play with the transition selection and possibly disable transitions if necessary.

Indexed images carry a performance overhead. It shouldn't be excessive, but when using many animations or indexed images you can expect a slower repaint cycle, especially on devices without a JIT or fast CPU.

Light mode often trades speed for memory overhead. If there is plenty of memory and low performance, explicitly turning off light mode (after `Display.init()`) might impact speed.

14.3 Device Bugs And Limitations

This section describes the device bugs and limitations the LWUIT development team found while in the process of creating demos and applications. While this is not an exhaustive list, you can apply these principles if you encounter device issues of your own.

14.3.1 Bugs

The LWUIT development team encountered several device bugs and limitations (but not nearly as many as were expected). The first rule of bug investigation is:

It is not a VM bug.

Often developers blame the VM for bugs. Despite many rumors, the development team hasn't found a CLDC 1.1 VM with a significant bug (they reproduced crashes, but they were all due to bad API implementations).

The VM and GC seem to work pretty flawlessly, which means several things should work. You should be able to rely on proper exception handling and proper class loading behavior. This essentially allows you to use Java technology for exception handling and class loading to work with multiple devices, instead of the “problematic” preprocessor statements used in the past.

The preprocessor approach was essential in the past when targeting all phones (even seriously broken VMs) with code size requirements that were very low. Today’s market has changed considerably, both in the quality of the common devices and in the space or OTA code size available for a typical application.

The advantages of avoiding preprocessor are mostly in code maintenance (refactoring, compiler checks, etcetera), simplicity in reusing object oriented paradigms, and easier deployment (one JAR file for all or most devices).

Rather than beat around the bush, here are a few examples of actual device behaviors:

- A device throws an exception in a certain condition when using an API. This happens with several devices that fail in `drawRGB`. The solution is to catch the exception and activate a flag to invoke a different code path designed for that device class only.
- Some devices have a bug with API X or with a specific usage of API X. Avoid that API or usage if possible. For example, many devices have a problem with `flushGraphics(int, int, int, int)`, but all devices tested worked perfectly with `flushGraphics()`.

As you can see, you can rely on Java working properly and throwing exceptions, making it possible to implement workarounds on the fly.

14.3.2 Limitations

The rules for dealing with device limitations are very similar to the rules for dealing with device bugs. If a missing API is invoked in code, it throws an exception because it doesn't exist. You can catch that exception and activate a flag disabling the functionality related to the feature. For example, your application might offer a location based feature based on JSR 179. You can wrap the calls related to JSR 179 code in try/catch and disable the functionality if a Throwable is thrown by the code (for example, `NoSuchMethodError` or `ClassNotFoundException`).

An example of this approach exists in the `M3G` class from `LWUIT` which is designed to run on devices that do not support JSR 184. The `Log` class is also designed in a similar way. It can utilize the `FileConnector` when the API is available in order to log to the device file system rather than RMS.

Limitations are often related to appearance, number of colors, device speed, device resolution, and so forth. These can be worked around using a multitude of themes and picking the right default theme upon startup. Use the methods in `Display` to check general device capabilities, then enable or disable some features.

For example, some devices support only three alpha levels (0%, 50%, 100%). This causes anti-aliased fonts to look horrible on those devices especially when using white over black color schemes. Devices like these can be easily detected using `Display.numAlphaLevels()` and such themes can be disabled on these devices (or simply excluded from the default state). Similar properties such as `numColors` are available on `display`.

Speed and memory constraints are much harder to detect on the fly. `TotalMemory` is often incorrect on devices and speed is notoriously hard to detect. True memory heap can be detected by allocating byte arrays until an `OutOfMemoryError` is thrown. While the VM is not guaranteed to be stable after an OOM it generally recovers nicely. Store the amount of memory in RMS to avoid the need to repeat this exercise.

The best solution is to allow your users as much configurability as possible (to themes, animations, transitions, etcetera) thus giving them the choice to tailor the application to their device needs.

14.4 Resolution Independence

One of the biggest problems in Java ME programming is the selection of device resolutions. This problem is aggravated by lack of scaling support and the small selection of devices with SVG device. A bigger problem than multiple resolutions is the problem of varying aspect ratios, even changing in runtime on the same device! (For example some slider devices change resolution and aspect ratio on the fly.)

LWUIT solves the lack of scaling support by including a fast low overhead scaling algorithm that keeps the image's alpha channel intact. Scaling on devices is far from ideal for some image types. It is recommended that designers avoid "fine details" in images that are destined for scaling.

Since images and themes can be stored in resource bundles, such bundles can be conditionally used to support different resolutions. This solution is not practical on a grand scale with a single JAR file strategy, however, for some basic resolution and important images this is a very practical solution, especially when dynamically downloading resources from a server.

14.5 Input

This section describes input methods that LWUIT supports.

14.5.1 Soft Buttons

Soft buttons for common devices in the market are detected automatically by LWUIT. If LWUIT fails to detect a specific device a developer can still set the key code for the soft keys using setter methods in `Display`.

LWUIT supports 3 `SoftButton` navigation common in newer phones from Sony Ericsson and Nokia. The 3 `SoftButton` mode can be activated via the `Display` class. In this mode the center “fire” key acts as a soft button.

14.5.2 Back Button

Some devices, most commonly older Sony Ericsson devices, have a special hardcoded back button device. You can assign a command as a “back command” using the `form` method for determining the back command. This ensures that only one command at any given time is deemed as a back command. The back command can also be configured using the `Display` methods. Currently the back button is only supported on Sony Ericsson devices.

14.5.3 Touch Screen Devices

Touch screens are supported out of the box, however, designing a UI for finger operation is very different from designing a UI for general use. Finger operations expect everything to be accessible via taps (not keys).

A touch interface expects widgets to be big enough to fit the size of a human finger. This is somewhat counter-intuitive because normally you might want to cram as much UI detail as possible into a single screen to avoid scrolling.

Component sizes can be easily customized globally using the theme. Simply set the default padding attribute to a large enough value (e.g. 5, 5, 5, 5) and all widgets “grow” to suit finger navigation. It is also a good practice to use buttons for touch devices and avoid menus where possible.

The only problem is that currently there is no standard code that allows you to detect touch screen devices on the fly. However such information can be easily placed in the Java application descriptor (JAD) file for the application to query.

14.6 Specific Device Issues

This list is rather limited since the development team doesn't have much to say about most devices. Most of the common CLDC 1.1 devices just work out of the box without much of a hassle. This section describes behaviors that might catch developers off guard. This is by no means an exhaustive or definitive list.

14.6.1 Motorola

The RAZR family doesn't support different levels of translucency -only 50% translucency is supported. This causes anti-aliased fonts to look bad on these devices.

14.6.2 BlackBerry

Since the BlackBerry doesn't have soft keys they are mapped to the Q/W and P/O keyboard keys. In order to build a release for the BlackBerry a COD file must be produced with the BlackBerry Java Development Environment (JDE), otherwise the MIDlet JAR file size is too big for the BlackBerry device.

Follow these steps to produce a .cod file:

1. **Create a new project in JDE and name it appropriately. Select project type: "Empty Midlet project".**
2. **Right click on the project and choose the "add file to project" option and choose the JAR file from your projects /dist directory.**
3. **Right click on the project and choose "properties".**
4. **In the "Application" tab insert the name of your main MIDlet class.**
5. **Build and run the project.**

14.6.3 Nokia S40

Generally series 40 devices work well. Some “high end” S40 devices only contain 2mb of memory yet have 24-bit color 320x240 resolutions. These devices have 3mb installed but only 2mb is accessible to Java applications.

The Nokia S40 emulator provides a very good approximation of the devices.

14.6.4 Sony Ericsson

Sony Ericsson makes good Java devices that are indexed with memory and have 16-bit color for even better memory.

The Back button, as discussed in [Section 14.5.2, “Back Button” on page 14-8](#) exists in SE until JP-8, at which point a new interface based on three soft keys was introduced.

Native Networking Sony Ericsson threads in SE tend to freeze the GUI. The devices in JP-7 and newer completely ignore thread priorities as well.

14.6.5 General Portability Tip

Test on manufacturers emulators. While development is easier using the Sun Java Wireless Toolkit and Sprint Wireless Toolkit, there is no substitute for occasional emulator test. An emulator provides more accurate memory readings especially related to images and buffers.

LWUIT Mini FAQ

This appendix addresses common questions about LWUIT.

Question: Performance on the Wireless Toolkit is very slow, what is the problem?

Answer:

- There are documented issues of slow performance due to Hyperthreading.
- Slow loopback in the network interface (often caused by miss-configured networking) also impacts performance because the toolkit uses network calls to perform all drawing.
- Sprint WirelessToolkit versions 3.2 and higher do not have these performance issues because they feature a different architecture.

Question: How does painting in LWUIT differ from Swing/AWT?

Answer: Generally both are very much alike. There are, however, some minor key differences that might “bite” an unsuspecting Swing/AWT developer:

- LWUIT clears the background – when drawing the component LWUIT makes sure to first clear the background for the component using the painters for its parents if necessary.
- LWUIT translates to parent component coordinates – A Swing component always starts at 0, 0. This is because Graphics.translate is invoked with the X and Y coordinates of the component. In LWUIT this is done only for parent containers, which is why the components in LWUIT must be drawn in their X and Y location.

The problem with this approach is that drawing in 0,0 often works for the first component in the container and fail for subsequent components.

- LWUIT doesn't make a distinction between paintContent or paintChildren – All calls in LWUIT lead to paint and paintBorder. There is no separate call for painting the children of a container.

Question: Scrolling isn't working like I expect, what went wrong?

Answer: There are several common possibilities for such behavior:

- You nested a scrollable component within another scrollable component (this is technically legal but might look odd). By default the form is scrollable so just try invoking `setScrollableY(false)` on the form.
- Scrolling behaves based on the amount of space allocated by the layout manager. Some layout managers do everything to prevent scrolling (such as grid layout) while the box layout tries to increase size as much as possible. Read the documentation for your layout manager of choice.
- For group layout components (generated by the UI builder) you must make sure to mark components to grow and verify that they indeed do so in preview mode. You must size the container to match the size of the component boundaries, otherwise the container size will be hardcoded.

Question: What is a painter? Why not just use an image?

Answer: The idea behind a painter is simple, provide flexibility to the developer and allow the developer to define rendering suitable for his needs on any device. While images provide decent flexibility for artists' ideas, painters provide limitless flexibility:

- A developer can use a relatively low overhead gradient painter to get a very compelling look without a single additional image file. Furthermore, the gradient adapts nicely to any screen resolution.
- In high-end devices that support SVG, etcetera, painters can use SVG to render and scale vector graphics rather than scale raster graphics. This increases the application UI fidelity.

Question: Is LWUIT identical across all platforms?

Answer: Yes and No.

The basic core API is the same on most tested platforms and is binary compatible, allowing MIDP applications to run on Java SE (for example, in the LWUIT Designer actual MIDlet code is running in Java SE).

The catch is in several details:

- Some components aren't available in other platforms: M3G, Media (sometimes available), and SVG.
- Rendering might seem different on other platforms due to platform issues. For example, in some platforms LWUIT takes advantage of anti-aliasing. System fonts look completely different between platforms and bitmap fonts look odd in some platforms that don't properly support alpha channels.
- Different platforms have different performance characteristics.

For more details on these issues check out the portability chapter.

Question: Which is better, deriving Form and overwriting paint, or creating my own LookAndFeel?

Answer: Both are reasonable approaches to the same problem. Assuming you want the change to be global a look and feel can have some advantages, but it would be a bit harder to visualize.

Question: Does LWUIT support 3 SoftButton devices?

Answer: Yes, 3 SoftButton mode is implemented in display. However, since there is no reliable way to detect 3 SoftButton phones this features can be activated either programmatically or through a JAD file attribute.

Question: A device doesn't seem to work with LWUIT. What should I do?

Answer: Is it a MIDP 2.0/CLDC 1.1 device? If it is then please mail lwuit-comments@sun.com with the following additional details:

- Does LWUIT hello world work on the device?
- Does the LWUIT UIDemo work on the device?
- What is the resolution+color depth of the device, and how much memory is allocated for Java?

Question: I want my application to look "native" on the device. Is there any way to accomplish that?

Answer: While LWUIT is designed to do the exact opposite (support your own look and feel) a native look and feel can be partially achieved if you implement a theme or look and feel that resembles the native look.

This won't work very well on most devices since there is no way to detect if the user switched the default theme.

Downloadable themes are probably a good approach for a strong user community.

Problem: The UI for my touch screen phone seems too small for my fingers. How do I make the UI more appropriate for such a device?

Answer: Use a global padding setting in the theme to increase the size of all widgets to a point where they are big enough for a finger tip.

Index

Numerics

2D rendering, 11-2
3D graphics, 11-1
3D rendering, 11-2

A

abstract classes, 1-2
ActionListener, 2-5
addCommand(), 2-3
addComponent(), 2-2, 5-2
addFocusListener(), 3-5
Animation, 10-1
attributes, 8-2

B

back button, 14-8
background color, 7-1
background image, 7-3
bgAlign, 8-2
bgColor, 8-2
bgGradient, 8-2
bgImage, 7-3, 8-2
bgType, 8-2
BorderLayout(), 5-1
BoxLayout(), 5-3
Button, 2-3, 2-5
 radio, 2-6
 states, 2-5
 types, 2-6
ButtonGroup, 2-7

C

calcPreferredSize(), 13-3
CheckBox, 2-8
color, 7-1, 13-2
com.sun.lwuit.M3G, 11-1
ComboBox, 2-10
Component, 2-1, 13-2
component.getSelectedStyle(), 7-1
component.getUnselectedStyle(), 7-1
composite, 2-1, 2-2
custom component, 13-10

D

debugging levels, 12-1
DefaultListModel, 3-2
device resolutions, 14-7
Dialog, 4-1
 type, 4-1
Display class, 1-5
Display.numAlphaLevels(), 14-7
dispose(), 4-1, 4-4

E

EDT, 1-5, 13-5, 14-4
event dispatch, 1-4
event dispatch thread, 4-1
event handling, 13-4
 focus, 13-4

F

- fgColor, 8-3
- FlowLayout(), 5-4
- flushGraphics(), 14-6
- focus, 13-4
- fonts, 7-2, 9-4, 9-10
 - bitmap, 9-10
 - dynamic, 9-5
 - system font, 9-4
- foreground color, 7-1
- Form, 2-2
 - elements, 2-3
 - example, 2-2
 - menus, 2-3
 - setup, 2-2

G

- getListCellRendererComponent(), 3-4
- getListFocusComponent(), 3-4
- getRadioButton(), 2-7
- getUIID(), 13-7
- GridLayout(), 5-6
- GroupLayout API, 5-7

I

- images, 9-2, 9-9
 - indexed, 9-3, 14-2, 14-5
- indexed, 8-3
- indexed images, 9-3, 14-4, 14-5
- IndexedImage, 11-3

L

- Label, 2-3
 - align, 2-4
 - alignment, 2-4
- List, 3-1
 - initialize, 3-1
- ListCellRenderer, 3-3
- ListModel, 3-2
- localization, 9-6, 9-11
- log
 - showing, 12-2
 - writing, 12-1
- logging, 12-1
- look and feel, 8-4

- LookAndFeel, 8-4
- LookAndFeel class, 13-6
- LWUIT Designer, 9-7
 - preview, 9-15

M

- M3G, 11-1
- margin, 7-2, 8-3
- Motion, 10-1

P

- padding, 7-2, 8-3
- paint call dispatch, 1-4
- painter, A-2
- Painter(), 6-1
- painting, 13-2, A-1
 - pipeline, 13-5
- performance, 14-2
- pluggable themes, 8-1
- portability, 1-2, 14-1
- preferred size, 13-3
- preview, 9-15

R

- RadioButton, 2-6
- removeAll(), 3-4
- removeTabAt(), 2-13
- renderer sample, 2-11
- repaint(), 3-4
- resource
 - create, 9-2
 - images, 9-2
 - load, 9-2
- resource bundle, 9-2
- resource file format, 1-2
- RGBImage, 11-3

S

- scrolling, A-2
- scrolling, smooth, 3-6
- setBgPainter(), 7-5
- setBgTransparency, 7-2
- setEditable(), 2-13
- setFG(), 13-6

- setFixedSelection(), 3-5
- setFocusable(), 13-4
- setListCellRender(), 2-10
- setModel(), 3-4
- setSmoothScrolling(), 3-6
- show, 2-3
- showLog(), 12-2
- size, 13-3
- smooth scrolling, 3-6
- soft buttons, 14-8
- Style listener, 7-4
- Style(), 7-1
- system font, 9-4

T

- tab placement, 2-14
- TabbedPane, 2-13
- TextArea, 2-12
- theme, 9-6, 9-12
 - add, 9-12
 - modify, 9-14
- theme file, 8-2
- thread, EDT, 1-4
- touch screen, A-3
- touch screen support, 14-8
- Transition
 - fade, 10-4
 - slide, 10-2
- transparency, 7-2, 8-3

U

- UI code, 1-4
- UIID, 8-2

W

- widget class hierarchy, 1-1

